

Spring 2016









Inside... everything you need to make your jobsite safe!

Equipment | Sales | Service | Parts 800-243-3418 • profastinc.com





Roof Zone Penetrator

	Penetrator	EQP-RZ65033
Part Number	Aluminum Work Surface	EQP-RZ65031
	Lifting Kit	EQP-RZ65032

The Penetrator is the industry's first lightweight and fully portable mobile fall protection device. When a fall occurs, the powerful penetrating spikes engage, piercing into the roof insulation and metal decking, thus creating a safe, secure anchor. For use on most substrates, NOT INCLUDING CONCRETE, the Penetrator has been tested for use on Built-Up, TPO, ISO, PVC, EPDM and other standard materials that are part of a finished roof system. The Penetrator is reusable and offers the lightest mobile fall protection system available on the market today



Garlock Lifepoint Duo

Deut Meuch en	w/Steel Weights	GAR-301383
Part Number	w/Empty Cans	GAR-301384

The LifePoint Duo is the perfect solution for a 2 person fall protection when circumstances require non-penetrating versatility. LifePoint provides the answer with an easy to set up and quick-move solution.

Non-Penetrating to preserve rooftop water integrity.

- Tie-off points for (1) Fall-arrest and (1) Fall-Restraint
- Easy to reposition
- Ratcheted handle enables the weighted body of the unit to lifted safely
- Fits in most service elevators

Available with either open concrete can weights or cast weights





Garlock Railguard 200

1 St la	10' Railguard	GAR-400984
Part Number	7' 6" Railguard	GAR-400985
1938 84 53 14	5' Railguard	GAR-400986

RailGuard is modular and comes in basic kits which include (1) rail, (1) base and (1) pin. Individual components can be added for custom safety guardrail applications. RailGuard can also be mounted permanently both internally and externally.

•16 gauge welded steel rail and powder coated for durability

•Std. yellow color or available in a wide variety of colors •90 pound four socket cast bases for flexibility and ease of installation

•Meets OSHA 1910.23(c)

Carlock Perimeter Clamp

Part Number GAR-155160

Perimeter systems save labor and improve efficiency over visual warning lines because after setup, you can safely work all the way to the edge of the roof or deck structure without being tied off.

•Clamp and Stanchion system for leading edge fall prevention. (2x4 wood not provided)

•Secures to parapet, flat edge, or slab edge enabling free access to entire protected area.

•Meets OSHA 1926.501(b)(1)

•No-Tool installation of clamp and stanchions.

Ergonomic Large coated handle for ease of use and long life.
Concealed fastener threads protect from handling damage.
Adjustable clamp can accommodate up to a 24" parapet.

•Concealed fastener threads protect from handling damage.



Garlock Baseplate for Railguard 200

Part Number	GAR-155160
Additional baseplate for th	





Carlock Folding Warning Lines

Part Number	GAR-300229

Create a safe-zone using the Garlock Folding Warning Line System. Heavy duty folding stanchions and 100 ft of vinyl flags set up quickly. Add the optional transporter for the ultimate in storage and portability. Typical installation for warning lines requires lines be placed a minimum of 6ft. from hazard for construction applications. (See your individual state OSHA regulations for compliance.) •Premium folding warning line system used for visual warning of at risk areas. •Meets OSHA 1926.502(f)(2) •Standard system includes three folding bases and


100 feet of flags.





Folding Warning Line System


Part NumberRSE-RZ65002Help protect workers from dangerous areas around
jobsite or roof. Includes 4 Stanchions and 105' of bright
yellow pennants. This lightweight and compact warning
line system is easier to set up and requires less storage
space. Spring activated legs lock firmly into place, no
lost poles or locking pins. Each stanchion has a built in
handle for easier transporting to and from jobsite.



EZ-Stor Warning Flag System

Part Number	RSE-RZ65016
tubing w/clear co •Will not rust from	m inside out s pin to the vertical stanchion tube and tear down





Perimeter Defender

Part Number RSE-PERIMETERDEFEND

Features

- •Easy flag tie-off system
- •Quick set-up and removal
- •Safety orange, UV resistant
- •Stackable with or without base
- 39" OSHA compliant tie off height 1926.502(f)(2)(ii)
- High impact polyethylene
- •Skid resistant
- Rubber base will not damage surfaces



Parapet Wall and Universal Guardrafi System

Part Number	RSE-RZ65015
walls and floor slabs. Unit easier placement and inst ets for easy and fast attact compression base, you ca system for exposed floors you need a fall protection	se guardrail system for parapet que tubular design allows for tallation. Adjustable rail brack- chment of 2x4's. By inverting the an use as a universal guardrail s, walkways, decks, or wherever system. Maximum spacing of tandards. Comes with toe board aster carton.





Economy Safety Classes

Part Number	RSE-SAFGLAS-iPROSMOK
Part Number	RSE-SAFGLAS-iPROCLR

•9.5 base curve offers wrap around protection
•No hard coating on lens
•Polycarbonate lens offers 99% UV protection
•Meets the requirements of ANSI Z87.1 - High Impact



OMEGA II Opt Ratchet Hard Hat

Part Number

KSENARDHAI-OMGII-ILW
RSEHARDHAT-OMGII-WHT
RSEHARDHAT-OMGII-RED

DEELLADDILAT OMCIL VIM

•Molded from high density polyethylene for maximum protection

•Secure-fit ratchet features an easy turn knob •Adjusts to over 40 different head sizes, 6 1/2 - 8 Meets ANSI Z89.1-2009, Type 1, Class C, E & G requirements •Made in USA



Coated Black PVC Cloves

Part Number MISGLOVE-COATEDPVC12

- •Fully coated black PVC glove •Double dipped, interlock lined •12" gauntlet with rough finish •Straight thumb <u>Suggested Applications</u> •Basic liquid and chemical protection •Construction
- •Construction •Auto industry
- •Mining



Maltese Safety Classes w/Strap

Part Number	RSE-SAFGLAS-VIPERBLK
	RSE-SAFGLAS-VIPER
•One piece 6.75 base curve •Rubber inserts in temple for extra hold •Hard coated lens offers 99% UV protection & scratch resistance	

Includes strap

•Meets the requirements of ANSI Z87.1 - High Impact



Elue Latex Coated String Clove

Part Number MISGLOVE-ECONCTD-L12

•Cotton/polyester shell •Latex coated palm and fingertips •Straight thumb <u>Suggested Applications</u> •Material Handling •General Maintenance



Nitrile Dip, Sandy Palm Safety Cloves

Part Number

MISGLOVE-BLUENYLONL MISGLOVE-BLUENYLONXL

13 gauge blue nylon with spandex liner. Nitrile coated palm and fingers with rough finish. Elastic Cuff. Sizes LG - XL



2

ROOFMASTER



Roofers Pitch Hood

Part Number | RMP-414020

Breathable dacron material protects workers from pitch fumes. Complete face and neck coverage. Lightweight and washable. Use over and over again. Will not stretch out.



Ultra Light Blue Rubber Kneepads

Part Number MIS-KNEEPAD-BLUE

- •1 pair per pack
- •Excellent grip
- •Maximum comfort and security
- •Tough flexible nonskid outer shell



Dust Mask with Respirator

Part Number •Designed to help deliver N95 respiratory protection with the addition of the proprietary 3M[™] Cool Flow[™] Valve •3M[™] Cool Flow[™] Valve helps keep wearer cool by releasing hot, humid exhaled breath

quickly

Brown Jersey Clove

Part Number	MISGLOVE-BROWNJERSEY12
•One size	

•Features: 100% cotton jersey knit, 1.6 oz., clute cut with knit wrist

•The knit material offers pliability and conforms to hands to allow better dexterity

Suggested Applications

Assembly work

•Clean up/general use



Leather Palm Clove

MISGLOVE-LETHPALMOS

Sizes: One Size.

Part Number

Economical standard weight glove.


Features include: shoulder split palm with canvas back, full feature gunn cut with lined palm, winged thumb, safety cuff.

Suggested applications: General duty work Maintenance



Dust Mask

Part Number	$\langle \cdot \rangle$
•Designed to direct exha nose panel, helping redu •Comfortable braided he respirator securely in pl pulling of hair	uce eyewear fogging eadbands help keep





50' Fallmaster Fall Arrest System

Part Number | RMP-412315

50' FallMaster BASIC Fall Arrest System Contains: * Universal harness HUV with 5 points of adjustment for added comfort * 50' Vertical Lifeline Assembly with Shock Pack, and * Permanently attached Positioning Device with 18" lanyard extension to keep device within reach * Two double locking snap hooks * Snappy Disposable Anchor with nails. This Kit meets or exceeds O.S.H.A Regulation 29CFR1926 and A.N.S.I. Z359-2009, requiring Personal Fall Arrest Systems.





Fallich Contractor Harness

2.24	FTS-7016
Part Number	FTS-7016X/2X
	FTS-70163X

•Standard, Non-belted

- •1 back D-ring, tongue buckle legs, mating buckle chest •5 points of adjustment (Chest, Legs, and Torso)
- •Paired mating buckles adjusters on front torso
- •Torso keeper for stowing lanyard connector

FallTech Journeyman Harness

Part Number	FTS-7021
	FTS-7021XL
	FTS-70212XL
1 8 1	FTS-70213X

•Standard, Non-belted

•1 back D-ring, tongue buckle legs, mating buckle chest •Premium breathable padded air mesh shoulder yoke with integral non-slip dorsal D-ring adjustment

- Twin torso keepers for stowing idle lanyard connectors
- Forged alloy and steel hardware
- •18" contoured stitched-down leg pads
- Low-profile spring-tension torso adjusters



FallTech Leading Edge Refractable

Part Number

FTS-727630LE (30')

•7/32 Galvanized Steel Cable

•Internal Inertial Brake And External Shock Pack

•Glass-filled Nylon Housing

•1 Connecting Carabiner and 1 Load-indicating Swivel Carabiner

FallTech Retractable Cable

Fall

Part Number	FTS-727630 (30')
	FTS-727650 (50')

•SRL with Glass-filled Nylon Housing •1 Connecting Carabiner and 1 Load-indicating Swivel Carabiner



Falltech Duretrech 10' Retractable

Part Number FTS-82710SC1

- •10' Compact Web SRD •Steel Carabiner w/Captive Pin
- •Steel Snap Hook Leg-end Connector



•9' Compact Cable SRD
•3/16" Stainless Steel Cable
•Integral Aluminum Swivel eye and Aluminum Carabiner on Anchorage End
•Load-Indicating Swivel Snap Hook on Leg End



Falltech Durattech 6' Retractable

Part Number | FTS-72706SB1

- •6' Mini SRD Single-LegSteel carabiner
- •Steel snap hook
- •Swivel-eye for reduced lifeline leg twisting
- •Durable compact and impact resistant nylon housing

all Safet



FallTech 20' Web Retractable

Part Number | FTS-7276WR

- •Web SRL
- •Glass-filled Nylon Housing
- •Dyneema Web
- •Connecting Carabiner
- •Load-indicating Swivel Carabiner.



FallTech D-Ring Extender

Part Number FTS-8366 •Snap hook attachment to the dorsal •D-ring on the full body harness reduces the user's reach



FallTech Rope Grab Lanyard

Part Number FTS-8353 •Single Leg •ViewPack •Manual/Park Rope Grab •1 Snap Hook •For 5/8" Rope.



FallTech 6' Basie Lanyard

Part Number	FTS-8256LT
extreme UV resis •Tear-away absor forces to 900 lbs •Polyester label of and inspection la	ber design limits fall or less cover protects warning



FallTech 6' Y-Leg Lanyard

Part Number | FTS-8256LTY

Rugged 1" polyester webbing provides extreme UV resistance
Tear-away absorber design limits fall forces to 900 lbs or less
Polyester label cover protects warning and inspection labels
3,600 lbs gate strength on all steel connectors
3 Snap Hooks



FallTech Pass Through Strap

0

Part Number	FTS-7336 (3')
	FTS-7372 (6')
 Heavy-duty 1-3/4" polyester webbing with rugged forged alloy-steel hardware Ideal for I-beams and other properly rated structural members 3" wear pad protects primary webbing from cuts and abrasion 	



FallTech 50' Vertical Lifeline

Part Number | FTS-8150

•3-strand construction provides low elongation and durability

•Abrasion, UV and chemical resistant for long life



FallTech Reusable Roof Anchor

Part Number | FTS-7410

Heavy-duty alloy steel plates and D-ring
Holes marked for use with either nails or screws

•Reusable when attached with screws •Hinged design conforms to most roof peaks



FallTech Multi-Use Anchor

Part Number FTS-7451AC

•Temporary and permanent applications •Integral bushing for 360 degree self-orientating D-ring

•For vertical or overhead applications •Reusable zinc plated stainless steel anchor plate with integral D-Ring



0



FallTech Medium Carabiner

Part Number	FTS-8450
•One hand opera use even when w •User installed st	alloy steel construction tion provides user with ease of vearing gloves teel Captive Pin helps to guard ment or loss of carabiner when



Falligeh Unfift Carry Kit

Part Number	FTS-KITI62596P	
Contractor Harness		
•Standard, Non-belted		
•1 back D-ring, tongue buckle legs, mating buckle chest		
•5 points of adjustment (Chest, Legs, and Torso)		
Paired mating buckles adjusters on front torso		
Torso keeper for stowing lanyard connector		
Tubular Web		
•Full-length internal energy absorber limits fall forces to 900 lbs or less		
•3,600 lbs gate strength on all steel connectors		
•Durable tubular polyester outer jacket web resists abrasion and UV		
•Contrasting load-indicator stitch displays when a fall event has occurred		
Bag		
•Large sized duffle bag		
 Ideally suited for storing your harness, lanyard, srl and other fall arrest equipment 		

Safety Cans

EAGLE



Type II Safety Can Red (Gasoline)

Part Number | RSEEAGLE-GAS5-TP2

Eagle's 2 Gallon Type-II Safety Can (U251S) feature two openings, one with a pressure-relief spring closing lid for filling, one with an actuated pour valve with a flexible metal spout for safer controlled dispensing. Red for safe handling and storage of gasoline and other flammable liquids.



Type I Safety Can Yellow (Diesel)

Part Number | RSEEAGLE-5DIESEL

Eagle safety cans are constructed of 24-gauge hot dipped galvanized steel, are the only deep drawn seamless can made, have a double interlock no-weld bottom seam, a baked on powder coat finish with a trilingual label, have a spring closing lid with neoprene gasket that vents at 5 psi internal pressure, have a non-sparking flame arrestor and pour spout and are 100 made in the USA. Eagle Manufacturing Company's 5 gallon Yellow Safety Can (UI50FSY) meets OSHA and NFPA Code 30 requirements and are UL and ULC listed and FM approved for safe handling and storage of diesel. (Accepted under CARB).



Type II Safety Can Yellow (Diesel)

Part Number | RSEEAGLE-5DIESEL-T2

Eagle's 2 Gallon Type-II Safety Can (U251S) feature two openings, one with a pressure-relief spring closing lid for filling, one with an actuated pour valve with a flexible metal spout for safer controlled dispensing. Yellow for safe handling and storage of diesel and other flammable liquids.



Type I Safety Can Red (Casoline)

Part Number

RSEEAGLE-GAS5 (5 gallon) RSEEAGLE-GAS1 (1 gallon)

Eagle 5 gallon Type 1 Red Safety cans are constructed of 24-gauge hot dipped galvanized steel, are the only deep drawn seamless can made, have a double interlock no-weld bottom seam, a baked on powder coat finish with a trilingual label, have a spring closing lid with neoprene gasket that vents at 5 psi internal pressure, have a non-sparking flame arrestor and pour spout and are 100 made in the USA. Eagle Manufacturing Company's 5 gallon, Type 1 Red Safety Can (for flammable liquids) meets OSHA and NFPA Code 30 requirements and are UL and ULC listed and FM approved for safe handling and storage of gasoline and other flammable liquids. (Accepted under CARB).



Jim Mullins jim@profastinc.com

Outside Sales Team

Anthony Pilotti anthony.p@profastinc.com Brad Mullins brad.m@profastinc.com Chris Zoellner chris.z@profastinc.com David Leake dave.l@profastinc.com Jason Fogelman jason.f@profastinc.com

Inside Sales Team Alex Mullins

alex.m@profastinc.com Ed Striano ed.s@profastinc.com Greg Hepfer greg.h@profastinc.com James Heck III james.h@profastinc.com Joe Bucholski joe.b@profastinc.com

Werehouse Menagers

Bradley Snyder bradly.s@profastinc.com Tyler Beeson 610-521-3404

Markothg

Brett Wolfe brett.w@profastinc.com **Distributed by your Pro-Fast Rep:**



EquipmentSalesServiceParts800-243-3418•profastinc.com

Two Locations to Serve You:

6 Poulson Ave P.O. Box 156 Essington, PA 19029 Phone: 610-521-3404 Fax: 610-521-4717 7917 Derry St Suite 106 Harrisburg, PA 17111 Phone: 717-458-5610 Fax: 717-458-5613

sales@profastinc.com