


# PROFAST

HARRISBURG | PITTSBURGH | PHILADELPHIA



## SAFETY EQUIPMENT



PROFASTINC.COM | 1.800.243.3418



**GARLOCK**  
SAFETY SYSTEMS



### COBRA CART™

If multiple workers on a jobsite require Personal Fall Arrest systems, the Cobra Cart™ Multi-Man is the solution. Cobra Cart™ offers workers OSHA compliant anchor points when doing leading-edge work.



### LIFEPOINT™ DELUXE

The LifePoint Deluxe is a mobile safety harness tie-off device that provides fall protection for two people: Fall Arrest for one and Fall Restraint for one, or Fall Restraint for two.



### LIFEPOINT™ STANDARD

The LifePoint Standard is the perfect solution for fall protection when circumstances require non-penetrating versatility.

**TIE DOWN**  
MANUFACTURING INGENUITY



### PENETRATOR 2+2

The Penetrator 2+2 mobile fall protection system offers both unparalleled portability and compact design. Ships job site ready on a standard pallet, with retractable handles that pin into place. Optional cover available for rooftop storage when not in use.



### PENETRATOR SENTINEL

Fully portable mobile fall protection device that offers 3 Fall Arrest and 2 Fall Restraint tie-downs. When you need a mobile fall protection device that can function on almost any surface, the new Penetrator Sentinel is the ultimate choice.



### ROOFZONE PENETRATOR

The new Roof Zone Penetrator mobile fall protection system provides fall protection for up to 5 workers - 3 in Fall Arrest, 2 in Fall Restraint.



**GARLOCK**  
SAFETY SYSTEMS

## RAILGUARD 200™ FIT-RITE™ SAFETY RAIL

Garlock's modular rails, the latest in Passive Fall Protection, offers complete customization to fit any rooftop, mezzanine or loading dock.

Almond RAL1013  
Black RAL9017  
White RAL9003  
Gray RAL7045  
Blue RAL5017  
Statuary Bronze Axalta Coating Systems Inc. PFJ407A5  
Safety Yellow RAL1018



**GARLOCK**  
SAFETY SYSTEMS

## RAILGUARD 200™ SAFETY GUARDRAIL

For multiple workers on a jobsite requiring Personal Fall Arrest systems, the Cobra Cart™ Multi-Man is the solution. Cobra Cart™ offers workers OSHA compliant anchor points when doing leading-edge work.

Almond RAL1013  
Black RAL9017  
White RAL9003  
Gray RAL7045  
Blue RAL5017  
Statuary Bronze Axalta Coating Systems Inc. PFJ407A5  
Safety Yellow RAL1018



## SAFETY GATES



### SELF CLOSING GATES

Choose from three different versions to meet your exact application requirements. Self closing gates play an essential role in an OSHA compliant fall prevention and plant safety programs.



### FREESTANDING SWING GATES

Swing gates from 4' to 12' wide used in conjunction with RailGuard 200™ systems. Meets all OSHA standards. Available in powder coat or galvanized finished.



### SENTRYGUARD™ GATES

Fall prevention gate to protect open loading docks, stairwells, shipping pits, limiting access, and more. Easy operation and OSHA compliant.

## HATCH/LADDER PROTECTION



### HATCHPROTECTOR™

The HatchProtector™ mounts directly to the roof hatch with a compression fit design, offering a quick and reliable roof hatch guard system.



### LADDERGUARD™

Fastest, easiest, and most affordable way to create a safety egress and ingress zone to guard rooftop ladder access starting 6 ft. from leading edge.



### SAFE-T™ LADDER EXTENSION SYSTEM


Designed to attach over the top of the ladder and provide a safe and easy transition from the ladder to a second surface.



### SAFE-T™ SELF CLOSING LADDER GATE

The Safe-T Ladder Gate, designed for use in combination with the Safe-T Ladder Extension, is perfect for providing additional protection when climbing off or onto a ladder.

## EDGE PROTECTION



### PERIMETER CLAMP SYSTEM

OSHA compliant leading edge fall protection system that can be used on both flat edge surfaces and parapet walls. (2x4s not included).



### SLABGRABBER™ PERIMETER CLAMP

The SlabGrabber Guardrail Clamp is the latest from Garlock Safety Systems for Perimeter Fall Protection.



### TURBORAIL™

The premier leading edge rail protection system with heavy-duty steel clamps, stanchions and snap on horizontal rails, offers a warning line system that provides perimeter fall protection for all industrial workspaces.

## WARNING LINES



### EVERLAST™ 300 WARNING LINES

A permanent warning system with heavy-duty RailGuard™ 200 metal bases, plastic-coated cable, and your choice of plastic or metal pennants.



### GUARDIAN™ ROOF WARNING LINE PERIMETER

Use the Cortina Products Roof Warning Line Perimeter on roof tops, construction sites, in parking lots, manufacturing plants and office buildings



### OSHA PERIMETER MARKER FLAGS

Yellow or Red Color, 105' Long, 42 12"x18" Flags, One Box of 10 Strands



### RED DANGER DO NOT ENTER / YELLOW CAUTION TAPE


Tape 3" x 1000Feet, Tear Resistant Design

## PERMANENT




### SKYDOME™ SKYLIGHT PROTECTOR

OSHA compliant, set-in-place, non-penetrating solution. Standard and custom sizes. Permanent or temporary solution. Color options available.



### SKYGUARD™ PROTECTION SYSTEM

Modular OSHA compliant fall protection skylight system that works best for large and tall skylights and smoke hatches.



### SCREENGUARD™ SKYLIGHT COVERS

ScreenGuard™ skylight covers provide a cost-effective, OSHA compliant fall protection solution that secures to the skylight frame with compression fit - no penetrating fasteners, adhesive or straps. Galvanized screen resists corrosion.



## TEMPORARY



### PORTABLE SKYLIGHT NET

Portable Skylight Nets are made of high tenacity 4" polypropylene knotless nets and are used during new construction, renovation, and maintenance roof work as a form of personal fall protection where skylights are present.

### MOBILE SKYLIGHT PROTECTION SYSTEM

MOBI Skylight Netting is a multifunctional, durable, and easy to set-up piece of fall protection equipment. Once it is installed over a skylight, it functions as a fall prevention system, protecting workers in the event of a fall onto a skylight.



## RETRACTABLES



### CONTRACTOR LEADING EDGE

Our advanced Contractor Leading Edge SRLs provide functionality without compromising leading edge hazard safety.



### CONTRACTOR SRL

30' galvanized cable and anchorage carabiner. 3/16" galvanized steel cable lifeline with load-indicating swivel snap hook.



### 6' MINI PERSONAL SRL

With steel snap hook. Features internal locking pawls and ViewPack® external energy absorber for even deceleration.



## HARNESSES



### CONTRACTOR 1D STANDARD NON-BELTED FULL BODY HARNESS

OSHA compliant leading edge fall protection system that can be used on both flat edge surfaces and parapet walls. (2x4s not included).



### JOURNEYMAN FLEX®

Steel 1D Standard Non-belted Full Body Harness, Tongue Buckle Leg Adjustment.

## ROPE & LANYARDS



### 8259

6' Internal Energy Absorbing Lanyard, Single-leg with Steel Snap Hooks.



### 8259Y3

6' Internal Energy Absorbing Lanyard, Double-leg with Steel Connectors.



### 8256

6' ViewPack® Energy Absorbing Lanyard, Single-leg with Steel Snap Hooks.



### 8256LT

6' Soft Pack FT Basic® Energy Absorbing Lanyard, Single-leg with Steel Snap Hooks.



### 8256LT3

6' Soft Pack FT Basic® Energy Absorbing Lanyard, Single-leg with Steel Connectors.

## HORIZONTAL LINES



### 100' 4-PERSON TEMP ROPE HLL SYSTEM

High-strength, durable 5/8" double braid polyester rope lifeline with steel thimble and stitched end-termination.



### 60' TEMPORARY ROPE HLL SYSTEM; 2-PERSON WITH KERNMANTLE ROPE

Features 11/16" solid-core nylon kernmantle rope with one sewn and thimble end-termination

## FALLTECH®

### CONCRETE



**7451A**

Rotating D-ring Anchor with Concrete Screw



**7440**

Expansion Wedge Anchor for Concrete, 5,000 lb

### STEEL



**8256**

Bolt-on D-ring Anchor with Installation Plate



**8256LT**

14 1/2" Trailing Beam Anchor with Dual-clamp Adjustment

### ROOFING



**7444**

Single-use Wood Roof Ridge Anchor



**7410**

Hinged Reusable Wood Roof Anchor




**7410M**

Hinged Reusable Anchor for Steel Deck and Metal Roofing



**7493A**

Reusable Heavy Duty Chain Anchor for Wood



**7395A**

Deluxe Rotating SRL Anchor for Flat Roofs

## FALLTECH®



#### PITCH PRO

The PitchPro is a premier fall protection anchor designed for sloped-roof asphalt shingle construction.



#### THE TWO-WAY STANDING SEAM ROOF ANCHOR

Fits most brands and styles of standing seam roofs and is completely reusable.



#### ADJUSTABLE PARAPET WALL ANCHOR

No tools required with simple clamp-on non-penetrating installation. Adjusts to fit parapets from 1/2" to 15" thick and having a minimum height of 9"



#### PASS-THROUGH CHOKER ANCHOR 3' AND 6'

Features 1-3/4" load-bearing web with 3" wide full-length wear pad for abrasion resistance. Appropriately sized alloy steel D-rings provide simple pass-through choke-on installation.

### PERMANENT



#### CB-12 ANCHOR POINT

The Guardian Fall Protection CB Anchor Series are perhaps the most proven fall protection anchors on the market. CB Anchors are compatible for installation onto wood, steel, and concrete substrates (fasteners are included for wood and steel applications).



#### CB-18 ANCHOR POINT (WOOD AND METAL DECK)

The Guardian Fall Protection CB Anchor Series are perhaps the most proven fall protection anchors on the market. CB Anchors are compatible for installation onto wood and steel (fasteners are included).







## FrenchCreek FALL SAFETY

### RKB-1715-50

FrenchCreek Roofing Kits come ready to install. A variety of roof anchors and multiple lengths of kits are available to fit many residential and industrial applications.

#### Kit includes:

- Choice of roofing anchor
- 411 5/8" lifeline with self-locking snap
- 411-50MG manual rope grab with 3' shock absorbing lanyard
- 631 full body harness
- Carry bucket and instruction manual



## FALLTECH®

### 8593A

Roofer's Kit with Hinged Reusable Anchor and Manual Rope Adjuster

#### Features:

- Single D-ring Contractor harness for fall arrest
- Harness features mating buckle legs and chest
- Includes 3' Soft Pack energy absorbing lanyard with integrated manual rope adjuster
- 50' construction-grade vertical lifeline includes plated alloy steel snap hook, steel thimble, and back-spliced end
- Roofer's Kit contains: 7015 Harness, 7410 Anchor, 8149 Lifeline, and 8353LT Lanyard
- (See component part # for standards and regulations compliance)



## SAFETY GLASSES



Grey



Clear

### IPROTECT® SAFETY GLASSES

IPROTECT. 9.5 base curve offers great wrap around protection. No hard coating on lens. Polycarbonate lens offers 99% UV protection.



Grey



Clear

### MALTESE® SAFETY GLASSES

One piece 6.75 base curve. Rubber inserts in temple offer extra hold. Hard coated lens offers 99% UV protection and scratch resistance. Includes lanyard.



Clear

### SPLASH GOGGLES

Splash protection goggle with polycarbonate lens. Uncoated lens. Vinyl frame with four indirect vents. Black strap masks grease and grime.



### ANTI-FOG TOWELETTES

Ideal for safety goggles, eyewear, welding hoods, etc. Reduces dust and finger prints. Does not contain acid, ammonia or abrasives. Wall mount or desk top. 7.25" x 5"

## VESTS



### BREAK-AWAY SAFETY VEST

ANSI 107 Type R, Class 2 5 Point Break-Away vest. 100% polyester mesh. Hook & loop front closure. 2 interior waist pockets. AwareLite reflective trim. Sizes MD - 5X.



Medium & Large

### SURVEYOR'S SAFETY VEST

ANSI 107 Type R, Class 2 Surveyor vest. Solid front, mesh back. Zipper front. 1 split pad/pencil pocket, 1 radio pocket, 2 ext. waist pockets w/hook & loop closure, 2 open int. waist pockets, 1 int. flashlight pocket. Mic tabs.. MD - 6X.



### REFLECTIVE SAFETY VEST

Adjustable hook and loop front closure. Elastic side straps. 1" reflective stripes on front and back. Does NOT Meet the requirements of ANSI/ISEA 107. One size fits most.



## HARD HATS



### OMEGA II® CAP

Molded from high density polyethylene for maximum protection. Secure-Fit ratchet features an easy turn knob. Adjusts to over 40 different head sizes, 6.5 - 8 Made in USA and meets ANSI Z89.1 Type 1, Class C, E & G requirements



### OMEGA II® FULL BRIM

Molded from high density polyethylene. Provides protection from sun and rain. Secure-Fit ratchet features an easy turn knob. Adjusts to head sizes, 6.5 - 8. Made in USA. Meets ANSI Z89.1 Type I, Class C, E & G requirements.

## FIRST AID KITS



### FIRST AID KIT WITH METAL BOX

6.5" L x 9.5" W x 2.75" D metal ANSI Premium first aid kit. Meets ANSI Z308.1-2009.



### FIRST AID KIT WITH PLASTIC BOX

4.5" L x 7.5" W x 2.75" D plastic ANSI first aid kit. Meets ANSI Z308.1-2009.

## COVERALL



### POSI-WEAR® BA™

PosiWear BA Coverall,  
Elastic Wrist & Ankle

## SHEILDS



### PLASTIC VISOR CARRIER

Fits into helmet accessory slots. For use with all ERB shields except model #8170. Carrier has adjustable tension for raising shield when not in use. Fits Omega II, Americana and Liberty.

*\*Carrier Only. Hat sold separately*



### CLEAR PC SHIELD .040

Clear polycarbonate shield. Size 7.75" x 15.5" .040 thick. Visor Carrier/Shield Compatibility: Fits E13, E14, E15, E16, E16R, E17, E18, E19, E20, and E21 carriers.



### ALUMINUM BRACKET FOR OMEGA II®

Fits ERB Omega II helmet style. Deluxe aluminum construction. Adjustable tension. Shield, helmet and carrier sold separately. Meets ANSI Z87.1-High Impact when paired with 8150 shield.

*\*Bracket Only. Hat sold separately*

## HEARING



### FOAM CORDED EAR PLUG

Non-allergenic corded foam ear plugs provide long term comfort. Convenient packaging for on-site distribution Each pair of plugs is individually wrapped.



### FOAM UNCORDED EAR PLUG

Non-allergenic uncorded foam ear plugs provide long term comfort. Convenient packaging for on-site distribution Each pair of plugs is individually wrapped.



### EAR MUFF NRR 20DB

Lightweight hearing protector. Economical choice for hearing protection. Soft vinyl ear cushions. Individually adjustable ear cups.

## GLOVES



### BROWN JERSEY (NO LINING)

Blend of approx. 70% cotton and 30% polyester. 1.6 oz., cleft cut with knit wrist.



### LEATHER PALM WORK GLOVES

Unisex size large leather palm glove.



### 13 GAUGE NYLON KNIT SANDY FINISH

13 gauge gray nylon with spandex liner.



PROTECTIVE INDUSTRIAL PRODUCTS



### POSISHIELD™ 5MIL

Disposable Nitrile Glove, Powder Free with Textured Grip



### POSISHIELD™ 7MIL

Disposable Nitrile Glove, Powder Free with Textured Grip



### PIP®

Regular Weight Polyester/Cotton Jersey Glove with Fleece Lining - Red Knit Wrist



### WEST CHESTER®

PVC Dipped Glove with Interlock Liner and Rough Finish - 12"



### BOSS®

Seamless Knit Cotton/Polyester Glove with Textured Latex Grip - Medium Weight



### BARRACUDA®

Seamless Knit HPPE Blended Glove with Polyurethane Coated Flat Grip on Palm & Fingers

## NEW HIRE KIT



\*Above image is an example of a new hire kit.  
See right side for actual products in our  
**exclusive ProFast New Hire Kit**

### PROFAST KIT INCLUDES:

#### OMEGA II® CAP



Molded from high density polyethylene for maximum protection. Secure-Fit ratchet features an easy turn knob. Adjusts to over 40 different head sizes, 6.5 - 8 Made in USA and meets ANSI Z89.1 Type 1, Class C, E & G requirements

#### IPROTECT® SAFETY GLASSES



IProtect. 9.5 base curve offers great wrap around protection. No hard coating on lens. Polycarbonate lens offers 99% UV protection.

#### REFLECTIVE SAFETY VEST



Adjustable hook and loop front closure. Elastic side straps. 1" reflective stripes on front and back. Does NOT Meet the requirements of ANSI/ISEA 107. One size fits most.

#### FOAM CORDED EAR PLUG



Non-allergenic corded foam ear plugs provide long term comfort. Convenient packaging for on-site distribution Each pair of plugs is individually wrapped.

#### 13 GAUGE NYLON KNIT SANDY FINISH



13 gauge gray nylon with spandex liner.



# PROFAST

PROFASTINC.COM | 1.800.243.3418

## Philadelphia Branch

6 Poulson Ave  
Essington, PA 19029  
Phone: 610-521-3404  
Fax: 610-521-4717

## Harrisburg Branch

7917 Derry St  
Harrisburg, PA 17111  
Phone: 717-458-5610  
Fax: 717-458-5613

## Pittsburgh Branch

770 Vista Park Drive  
Pittsburgh, PA 15205  
Phone: 412-259-8449  
Fax: 412-291-3188