



EQUIPMENT



**GARLOCK
ROOF WARRIOR**
page 41

GARLOCK
EQUIPMENT CO.

HEAT WELDING



**LEISTER
VARIMAT 500**
page 18

LEISTER

SAFETY/PPE



SAFETY EQUIPMENT
page 49

JOBSITE SUPPLIES



JOBSITE SUPPLIES
page 5

PRO+FAST PRODUCT CATALOG

HARRISBURG | PITTSBURGH | PHILADELPHIA | BALTIMORE


1.800.243.3418



OUR CUSTOMER CARE

Our customer care team is different in the best way possible. Each member undergoes continuous training to ensure that in almost any situation, they are able to find you a solution in just one phone call, text, or email. They live by our C.O.R.E. Values so they can help keep you moving with peace of mind.

WE ARE




HARD C.O.R.E.



COMMUNICATION



OWNERSHIP



RESPECT



ENERGY / DRIVE

OUR LOCATIONS

PHILADELPHIA BRANCH

701a Ashland Ave. Bay 103
Folcroft, PA 19032
Phone: 610-521-3404
Fax: 610-521-4717

HARRISBURG BRANCH

7917 Derry St.
Harrisburg, PA 17111
Phone: 717-458-5610
Fax: 717-458-5613

PITTSBURGH BRANCH

770 Vista Park Dr.
Pittsburgh, PA 15205
Phone: 412-259-8449
Fax: 412-291-3188

BALTIMORE BRANCH

717 Hammonds Ferry Rd. Suite A
Linthicum Heights, MD 21090
Phone: 410-589-3369


TOOLS



Power Tools
DeWalt
Milwaukee
Blowers
Caulking Tools
Air Tools
Job Boxes
Ladders

Scoops & Shovels
Tear Off Tools
Soldering
Roofing Hand Tools
Productivity Tools
Torches
Squeegees
Core Cutters

SHEET METAL



Flat Sheets
Coils
Steel
Aluminum
Painted Kynar
Stainless
Copper

Drip Edge
Copings
Cleat Metal
Painted Fasteners
Englert
Hickman
Metal Era

JOBSITE SUPPLIES



Trash Bags
Rags
Extension Cords
Chip Brushes
Roller Frames
Brooms
Drill Bits
Recip Blades
Water

Poly Sheeting
Tarps
Gas Cans
Tapes
Pallet Covers
Safety Flags
Canvas Tarps
Debris Tarps
Stretch Wrap

ROOFING SUPPLIES



Elevate
Johns Manville
GAF
Screws & Plates
Base Sheet Fasteners
Gypsum Fasteners
Purlin Fasteners
Retrofit Drains
Insulation Adhesives

Membrane Adhesives
EPDM Tapes
Primers
Pipe Flashings
Termination Bar
Adhesive Applicators
Roof Coatings

INDUSTRIAL / MASONRY ANCHORS



Nuts & Bolts
Washers
Structural Hardware
Strut
Strut Accessories
Threaded Rod
Machine Screws
Epoxy Anchors
Anchor Bolts

Wedge Anchors
Tapcons
Zamacs
Powder Actuated Drop-Ins
Pipe Hangers
Rod Hangers
Beam Clamps
Shims
Toggle Fasteners

FASTENERS



Self-Drilling Screws
Sheet Metal Screws
Drywall Screws
Nails
SIP Screws
Hangers & Connectors
Panel Fasteners

Bit Tips
Nut Setters
Pop Rivets
Toggle Bolts
Sealing Washers
Deck Screws
Clip Screws

SEALANTS



Adhesive Caulks
Silicone Caulk
Backer Rod
Butyl Tape
Froth Pak

Pourable Sealer
Penetration Pockets
Lap Sealant

SAFETY



Safety Rail
Perimeter Systems
Warning Lines
Safety Flags
Flag Stanchions
PPE
Safety Helmets

Harnesses
Anchors
Engineered Systems
SRLs
Fall Carts
Skylight Protection
Hatch Protection

ROOFING EQUIPMENT



Garlock
Leister
All Seasons
Grizzly
Gator Equipment
Winco Generators

Honda Generators
4-Wheel Carts
Insulation Forks
Wheelbarrows
Tear Off Equip
Hoists

Trash Chutes
RhinoBond
Heat Welding
Robot Welders
NFL Tires
Kettles

BUR Equip
Honda Motors
Torches
Power Sweepers
Adhesive Carts



+ JOBSITE SUPPLIES	5
+ GENERATORS	14
+ WELDING TOOLS	17
+ HOISTING	24
+ HOT/BUR EQUIPMENT	26
+ NON-POWERED ON-DECK EQUIPMENT	32
+ POWERED ON-DECK EQUIPMENT	36
+ TRASH CHUTES	46
+ SAFETY EQUIPMENT	49



+ JOBSITE SUPPLIES

PROFASTINC.COM | 1.800.243.3418

PR⁺FAST

PLASTIC



TRASH BAGS

20 bags per roll
7 bushel capacity
3 mil thick



POLY SHEETING

6 mil thick
*String Reinforced
Available



STRETCH WRAP W/HANDLE

5" with Cardboard
Handle



STRETCH WRAP FILM

70 Gauge, Cast,
18" x 1500' - Clear



DUCT TAPE

Industrial Use



VAPOR BARRIER TAPE

Thickness: 7.5 mil
Roll Size: 4" x 180'



BUILDERBOARD FLOOR PROTECTION

Heavy-duty floor protection designed for commercial and residential contractors. Builder Board replaces the need for large, bulky sheets of masonite and rolls out flat. Protect floors from spills, drops and more.

ROPE



MANILLA ROPE

1/4" & 3/8" Diameters Available



POLY ROPE

1/4" & 3/8" Diameters Available



MANILLA ROPE W/HOOK

3/4" x 120' & 3/4" x 180'



HOISTING WHEEL

*300lb & 400lb Hoists Available

SHOVELS



**#12 POLY SCOOP, 30"
D-GRIP WOOD HANDLE**



**#10 ALUMINUM SCOOP,
30" ASH HANDLE
D-GRIP (USA)**



**#10 ALUMINUM SCOOP,
48" ASH HANDLE (USA)**



**#10 STEEL SCOOP
SHOVEL, 30" D-GRIP
ASH HANDLE (USA)**



**#10 STEEL SCOOP
SHOVEL, 48" ASH
HANDLE (USA)**



WHEELBARROW

6CU/FT Capacity. Dual no-flat tires,
and steel frame.



TEAR-OFF TOOLS



54" SHINGLE REMOVER



**SERRATED ROOFERS
SPADE WITH WIDE HEEL
STEEL HANDLE**



**ROOFERS SPADE WITH
WIDE HEEL AND STEEL
HANDLE**



**ROOFING SHOVEL
48" FIBERGLASS HANDLE**



**STEEL TAMPING /
DIGGING BAR WITH 3/8-
INCH THICK PLATE**



SPUD BARS

*Replacement Blades
Available

BROOMS



CORN BROOM



MASONRY & ROOFING BRUSH



ORANGE PLASTIC STREET BROOM



BLACK TAMPICO 3" TRIM



UNDYED PALMYRA STALK STREET BROOM

HANDLES



**WOOD HANDLE
W/TAPERED END**
1 1/8" X 60"



**WOOD HANDLE
W/CAST METAL THREAD**
1 1/8" X 60"



FIBERGLASS
60"


SQUEEGEES



STRAIGHT SQUEEGEES
18", 24", 30"



**1/4" NOTCHED NEOPRENE
APPLICATOR SQUEEGEE**
18" & 24"



**GRAY EPDM FLOOR
SQUEEGEE**
18" and 24"

COMPOUNDS



SWEEPING COMPOUND
50-Lb. Box



QUICK SEAL 7
Emergency roof patch. 20lb pail



**DEL VAL TEMPORARY
ROOF SEALER**

EXTENSION CORDS



**12/3 SJTW JOBSITE®
3-OUTLET EXTENSION CORD**
100ft and 50ft, lighted ends



**12/3 SJTW JOBSITE®
OUTDOOR EXTENSION CORD**
100ft and 50ft, lighted ends



**2FT 12/3 SJTW
TRIPLE-TAP ADAPTER
W/GFCI PLUG**



**CENTURY® 10/3 STW
HEAT SEAMING CORD**
with L6-30P and L630R
molded & lighted ends



**100FT 14/3 MEDIUM-DUTY 13-
AMP SJTW GENERAL PURPOSE
EXTENSION CORD**

GAS CANS



**5 GALLON TYPE I
STEEL SAFETY CAN**

With Funnel & Flame Arrester



**1 GALLON TYPE I
STEEL SAFETY CAN**

With Funnel & Flame Arrester



**5 GALLON TYPE II
STEEL SAFETY CAN**

5/8" Metal Hose



**5 GALLON TYPE I
STEEL SAFETY CAN (DIESEL)**

With Funnel & Flame Arrester

BIT TIPS



BIT HOLDER SCREWDRIVER BITS



MAGNETIC NUTSETTERS



**LAG DRIVER/
CEILING TILE HANGER DRIVER**



PHILLIPS DRIVE BITS



STAR DRIVE BITS



SQUARE DRIVE BITS



**PHILLIPS BIT
(TAMPER PROOF)**



**STAR BIT
(TAMPER PROOF)**



**TRI-WING BIT
(TAMPER PROOF)**



**HEX BIT
(TAMPER PROOF)**

CUTTING



CUTTING & GRINDING



CIRCULAR SAW BLADES - STEEL/ALUMINUM/WOOD



KNIVES & BLADES



HOLE SAWS

HOLE SAW KITS



DRILLING - SPLINE/SDS/SDS-MAX/SDS-CHIESL/SDS-SCRAPERS

ROLLER FRAMES & COVERS



9" CONTRACTOR ROLLER FRAME

5 Wire Cage
Plastic Grip
Metal Ferrule



4" ROLLER FRAME

4 Wire Cage
Plastic Grip



BIG BEN® FROM WOOSTER

For use with all 18" rollers
Compatible with all threaded & Sherlock GT® extension poles



NAP ROLLER COVER

4" X 3/8" Semi-Smooth
9" X 3/8" Semi-Smooth
18" X 3/8" Semi-Smooth



DELUXE PHENOLIC COVER

4" X 3/8" Deluxe Phenolic Cover Semi-Smooth
9" X 3/8" Deluxe Phenolic Cover Semi-Smooth

CHIP BRUSHES

CHIP BRUSHES

2", 3" & 4"



TARPS



ALL PURPOSE BLUE TARP

16' x 20'
20' x 20'
20' x 30'
20' x 40'
30' x 40'
30' x 50'
30' x 60'
40' x 60'

CLEAN UP



PROFFERED HAND & TOOL WIPES CANISTER



DEL-VAL 91 CLEANER

Non-Toxic, Non-Corrosive,
Hard-working Roof Surface
Cleaner & Degreaser!



WHITE COTTON T-SHIRT SOFT RAGS

Available in 10lb, 25lb
vacuum packed bundles.
Cotton or Fleece



10LB COLORED COTTON T-SHIRT RAGS

LADDERS



STEP LADDERS

Type 1A Rated 300lbs
4' through 16'



EXTENSION LADDERS

Type 1A Rated 300lbs
16' through 40'



CAULK GUNS



BULK GUNS



SAUSAGE GUNS



CARTRIDGE GUNS



DUAL COMPONENT GUNS

HAND TOOLS



CORE CUTTER



WOODEN HANDLE AXE



ACRO HAND SPUDDER

HAND TOOLS



10-1/2" SEAM PROBE



**INSULATION KNIFE
3-5/8" BLADE**



**X-LONG CUT INSULATION KNIFE
5" BLADE SQUEEGEE**



CHECK-N-FOLD SEAM PROBE



NYLON VEE ROLLER



**1-7/16" X 1-3/4" SILICONE
SEAM ROLLER - WOOD OR SOFT
HANDLE**



**ROLL-N-CHECK SEAM ROLLER
WITH PROBE**



**2" X 2" SILICONE SEAM ROLLER
WOOD HANDLE**



**2" X 2" STEEL SEAM ROLLER
RADIUSED EDGE**



**10" LIGHTWEIGHT SHEAR
BENT TRIMMER**



**10" SHEAR BENT TRIMMER
ERGONOMIC HANDLE**



**10" SHEAR BENT TRIMMER
SUPER NON-STICK**



+ GENERATORS

PROFASTINC.COM | 1.800.243.3418

PR**FAST**



WINCO 3KW "LIL DOG" PORTABLE GENERATOR

The WINCO W3000H "Lil Dog" was designed to be light weight and ergonomic so the generator can be easily moved around on the jobsite. At just over 68 pounds it is the perfect tool for roofing contractors that need power for warranty and patch work.



WINCO 7.5KW GENERATOR W/WHEEL KIT

The industrial line DYNA Professional is going to be a great addition to any work crew or master craftsman's garage. The DP7500, powered by a Honda GX390 engine, delivers clean power and a full GFCI protected panel.



WINCO 12KW GENERATOR W/WHEEL KIT

The WL12000HE is the preferred portable generator in the flat top roofing industry. It is durable enough to handle the hours while providing clean power for sensitive equipment. The WL12000HE will save you time and money giving your company a competitive advantage over crews using other portable generators.



WINCO 16KW GENERATOR W/WHEEL KIT

Features a Honda iGX800 fuel injected engine for easier engine starting, smoother throttle response, better fuel efficiency, cleaner exhaust and better frequency control.



WINCO 18KW GENERATOR W/WHEEL KIT

Equipped with YourGen Meter, Low Oil Protection, 15 Gallon Fuel Tank, Premium Circuit Breakers, and a Winco 50A Twist Lock Plug.

AVAILABLE ON WINCO 12K | 16K | 18K



YOURGEN METER

LED meter displaying hours, RPMs, voltage, and frequency readings. Verifies the load balance with a load bar display. Warnings when a parameter is outside of normal range and when an oil change is needed.



GATOR 12KW GENERATOR

The 12,000 Watt GATOR Generator is a unique product developed with our distributor for running Leister equipment.



GATOR 14KW GENERATOR

This generator has been thoroughly tested in the field and has grown to be the preferred choice for experienced commercial roofers and contractors alike.



GATOR 16KW GENERATOR

Powered by a Kohler 23.5hp engine and an Italian made alternator, this unit produces 16,000 watts of continuous power and surges at 17,500.



HONDA 2.2KW INVERTER

This popular model can operate a wide variety of appliances, making it perfect for portable use at home, camping, on the job site, or much more. Reliable Power is now at your fingertips with Honda's Inverted Generators.

GENERATOR ACCESSORIES



**2FT 12/3 SJTW TRIPLE-TAP
ADAPTER W/GFCI PLUG**



**50FT 12/3 SJTW JOBSITE® 3-OUTLET
EXTENSION CORD**



**100FT 12/3 SJTW JOBSITE®
3-OUTLET EXTENSION CORD**



**50FT 12/3 SJTW JOBSITE®
OUTDOOR EXTENSION CORD**



**100FT 12/3 SJTW JOBSITE®
OUTDOOR EXTENSION CORD**



**100FT 14/3 MEDIUM-DUTY 13-
AMP SJTW GENERAL PURPOSE
EXTENSION CORD**



**100FT 10/3 STW ROOFER'S HEAT
SEAMING EXTENSION CORD**



+ WELDING TOOLS

PROFASTINC.COM | 1.800.243.3418

PR⁺FAST

WORLD-CLASS WELDING MACHINES

FROM

LEISTER

VARIMAT 300

The VARIMAT 300 automatic roof welding machine ensures reliable process safety when welding plastic sealing membranes on flat roofs.



VARIMAT 500

All of the features of the 300 model and includes additional features such as MyLeister app connection, monitored weld assist, and an LED work light on the welding area.



VARIMAT 700

All of the features of the 500 models and adds in a test weld feature of field level diagnosis and sports LQS (Leister Quality System) that can create GPS-supported data reports.





LQS ROOFING

With LQS Roofing you can create professional welding reports in no time and prove the quality of your work. Simply activate the LQS roofing service via the myLeister app for your LQS-enabled Leister equipment.

The automated data recording on LQS Roofing helps you document your welding work with ease. Simply activate LQS Roofing via the myLeister app.

YOUR BENEFITS AT A GLANCE

Since November 2021, Leister has been setting a new global standard for quality documentation of roof welding with the Wi-Fi and GPS enabled UNIROOF 700 LQS automatic welding machine.

- As the person carrying out welding work, you can use the data report to document the exact location of the welds that were carried out.
- Temperature, speed, air volume, voltage and GPS coordinates are automatically recorded in the welding data report.
- You are sure to meet the ever-increasing quality requirements with the data report from LQS Roofing. Thanks to the tools innovative capabilities, the data report highlights potential errors, allowing you to check and fix them quickly.
- The best way to start your LQS roofing subscription is via the myLeister app.

PROFAST STOCKS A FULL SELECTION OF ACCESSORIES AND SERVICE PARTS FOR YOUR LEISTER EQUIPMENT.



UNIROOT 300 120V/230V

Reliable roof welding machine with a digital display. Excellent price-performance-ratio. Homogeneous weld seam thanks to the standard nozzle. Low-maintenance drive motor. Compact and light at only 17 kg (37.5 lbs).



UNIROOT 700 120V/230V

Monitored-Welding-Assistant for process reliability. Welding quality documented thanks to LQS. Standard nozzle ensures homogeneous weld seam. Power management for constant welding process. Welding recipes in the myLeister app



BITUMAT B2

The BITUMAT B2 was specifically developed for flameless welding of modified bitumen. Compared to welding with open flame, only one worker is needed to effectively weld modified bitumen, making it safer, more efficient and more economical.



UNIDRIVE 500

This semi-automatic welding machine combines manual and automatic welding in a 9.9 lb (4.5 kg) handy plastic welding device with a brushless motor. It's ideal for welding various thermoplastic membranes such as PVC and TPO.



TRIAC ST

The TRIAC ST from Leister is a handy heat gun, primarily used as a profiling tool for welding and processing plastic membranes. Additionally, it is used for professional welding, shrinking and molding various thermoplastics.



ELECTRON ST

With a power of 3400 Watts, the ELECTRON ST is an especially strong hot air tool from Leister. The heat gun can reach temperatures up to 650 °C / 1202 °F with a stepless temperature setting, even at very high air volumes.



NEW PRODUCT!

VACUUM PLATE 100-LP

The VACUUM PLATE 100-LP from Leister is an easy-to-use, compact and cordless vacuum plate or vacuum bell jar for roofers and swimming pool builders.



LEISTER

COMMON PARTS & ACCESSORIES

LEISTER



**LEISTER 20 MM ANGLED
WIDE SLOT NOZZLE**



**LEISTER 60 MM WIDE SLOT NOZZLE
FOR BITUMEN**



LEISTER 40 MM 60 DEGREE BEND NOZZLE



LEISTER 40 MM WIDE SLOT NOZZLE



LEISTER 40 MM NOZZLE FOR VARIMAT V2



**HEATING ELEMENT FOR LEISTER TRIAC
(NEW STYLE)**



**HEATING ELEMENT FOR LEISTER
TRIAC (OLD STYLE)**



**HEATING ELEMENT FOR
VARIMAT 300/500/700**



**HEATING ELEMENT FOR LEISTER
BITUMAT B2**



**MICA TUBES FOR ALL WELDER
MODELS**

COMMON PARTS & ACCESSORIES



**RIB PROFILE KIT
VARIMAT 700/500/300**



**RIB PROFILE KIT
UNIROOF 700/300**



**BITUMEN KIT 80MM COMPLETE
UNIROOF 700/300**



INDUCTION WELDING



OMG RHINOBOND WITH OPTIWELD TECHNOLOGY

RhinoBond tool with OptiWeld Technology, providing automatic calibration on membrane up to 80 mils. OptiWeld technology eliminates the calibration process by automatically monitoring the temperature of the RhinoBond Plate during the welding cycle to assure the best bond possible. Includes 6 magnets.



RHINOBOND MAGNETS (SET OF 6)

This RhinoBond Additional Magnets 6 Pack is an "extras" part of the RhinoBond System, functioning along with the non-included RhinoBond Induction Welder. While some magnets come with the RhinoBond Welder, adding more means fewer and less repetitive stepping back and forth between rows.



OMG RHINOBOND HAND WELDER

This lightweight, portable induction welder is designed to bond RhinoBond plates to TPO and PVC membranes in hard to reach areas such as under rooftop equipment and on vertical surfaces.



RHINOBOND SHORT MAGNET

These OMG RhinoBond Small Magnets are designed for the OMG RhinoBond Hand Welder.



ISOWELD® 3000 STAND-UP TOOL

Includes: Calibration template, replacement protective pads for inductor, instruction manual, transport case.



ISOWELD® BACKPACK TOOL

Includes: Isoweld backpack tool, calibration template, replacement protective pads for inductor, hand-held inductor with cord straps, wired activation switch, adjustable handle, instruction manual, transport case.



ISOWELD® HANDHELD INDUCTOR | FI-H

The low profile hand-held inductor provides the same secure weld function in tight spaces, near rooftop protrusions, and on parapet walls.



+ HOISTING

PROFASTINC.COM | 1.800.243.3418

PR⁺FAST



ASE HS2000 HYDRAULIC HOIST

Maximum capacity of 2,000 lbs. on a single line (with 200 ft cable). Powerful Hydraulic System and fingertip control allow precision and ultra smooth load control. Hoist frame breaks down into 8 pieces for maximum portability (Fits in a freight elevator).



HOIST ACCESSORIES



ASE TRASH TRAY

16cu.ft. / 1000 lbs capacity.
Dimensions:
58" x 43" x 15". Includes cable.



ASE 1500LB GRAVEL BUCKET



ASE 800LB GRAVEL BUCKET



ASE HOIST FORKS



ASE 50LB COUNTER-WEIGHT



ASE 300LB HAND HOIST



12" GIN WHEEL

*300 lb and 400 lb hoist only



120' 3/4" MANILA ROPE W/HOOK



BAGSTER PORTABLE DUMPSTER BAG



+ HOT/BUR EQUIPMENT

PROFASTINC.COM | 1.800.243.3418

PR⁺FAST

MELTERS



A&A A-25 25 GALLON MELTER

This Air-Jacketed unit has the same oil-less design as our larger units which reduces warm-up time. Extra high temperature insulation permits movement from one roof deck to another without burning the operator.



A&A A-40 40 GALLON MELTER

The A-40 is a very compact under-fired melter and has the same oil-less design as its larger brothers which reduces warm-up time to approximately 20 minutes.



A&A A-60 60 GALLON MELTER

The A-60 is easily accommodated in commercial elevators, it fits through standard 34" doorways and can be equipped with optional casters for easy movement.



A&A A-110 110 GALLON MELTER

The A-110 is very versatile and can be transported easily in the back of a pick-up; can be hoisted directly to the roof. Easily accommodated in commercial elevators.



A&A A-210 210 GALLON MELTER

This 200 gallon model has a large material handling capacity combined with a fast heat-up time. Your choice of gas, electric or optional diesel drive agitator.



A&A A-380 380 GALLON MELTER

Patented "air-jacketed design". No more messy heat transfer oils. Heats material in as little as 75 minutes. Electric brakes come standard. NEW-Heavy Duty trailer mounted lifting lugs Standard.



A&A A-500 500 GALLON MELTER

The biggest Rubberized Asphalt Melter on the market. Stainless steel fire tubes come standard and Heats material in as little as 90 minutes.



A&A MASTIC MELTER

Designed for melting repair mastics & aggregate filled patching products used for repairing concrete & asphalt. Full sweep agitator and Automatic temperature controls ensure material is kept within a specific temperature.



GARLOCK RAM 60 RUBBERIZED ASPHALT MELTER

Bring materials to application temperatures in as little as 45 minutes. 9.5hp diesel engine and 250,000 BTU diesel burner. Single control panel controls all functions. A ceramic-lined burner chamber heats the heat transfer oil and then the material. Digital temperature controllers for heat transfer oil and material.

MELTERS



GARLOCK RAM 150 RUBBERIZED ASPHALT MELTER

Fast heating, typically 45 minutes is all it takes to bring materials up to application temperature. A simple control panel controls all functions.



GARLOCK RAM 230 RUBBERIZED ASPHALT MELTER


Fast heating, typically 45 minutes is all it takes to bring materials up to application temperature. Ceramic-lined burner chamber heats the heat transfer oil and then the material, direct flames never contact steel.

KETTLES



GATOR 650 GALLON KETTLE

650 Gallon Pumper Kettle. Usable Gallons - 495. 35GPM Vican Asphalt Pump. 9 HP Honda 6:1 gear engine. LPG 25 foot 3/8 inch supply hose. LPG Burner 1,000,000 BTU



MARATHON MPK 800 KETTLE

For very high production crews, this unit provides an extremely large capacity, without sacrificing heating efficiency. 793 gal (3000 L) capacity, Double propane burners, Recirculating system, Electric brakes, Tandem axles, Also available in single lid option.

GRAVEL SPREADERS



ASE MANUAL GRAVEL SPREADER

36" wide with 6 cu. ft capacity. Adjustable gate to spread different thicknesses of pea gravel.



GRIZZLY GRAVEL SPREADER

The GRIZZLY manual gravel spreader is 36" wide and will hold 6 cu. ft. of either pea gravel or large ballast rock. (From 1/4' to 1-1/2' diameter)



CARRIERS



ASE 20 GAL MOP CARRIER

Ideal for hand mopping. Has built in wind breaker / splash guard. Included flat free tires.



ASE HOISTABLE HOT LUGGER

For easy transport of hot asphalt on rooftops. Included 2-1/2" draincock and flat free tires.



ASE 55 GAL INSULATED TANK

The ideal method of transporting hot asphalt across any roof deck. It quickly and easily attaches to your utility carrier or Power Buggy with channels and pins.



ASE MINI MOPPER

Light-weight dispenser used for strip mopping, flood coats etc. Coverage can be varied by removing any number of hole bolts.



GATOR 55 GALLON HI-LO HOT LUGGER

HI-LO 55 gallon tank can be raised or lowered to desired height. Fully insulated drum with flat free tires.



GATOR 35 GALLON PATCH POT

Gator 35 gallon patch pot will heat asphalt fast in this portable unit. It comes standard with a torch, regulator, thermometer, and 2" draincock.



ROOFMASTER 55 GALLON INSULATED NFL HOTMASTER

Once it's hot, keep it hot - the HOTMASTER is constructed using a pressure-tested steel drum, mounted on a well-balanced cart with three 400x8 Non-Flat Lite tires, one a locking swivel wheel.



ROOFMASTER 110 GALLON HOTMASTER DRUM

This is an 110 gallon Insulated Drum WITH Holder. It includes a 2-1/2" Draw Off Valve. For installation on either a 60" 4 Wheel trailer OR 72" 4 Wheel trailer.



KETTLE SKIMMER

Skim the carbon junk that forms on the top of an asphalt kettle. Made from sturdy metal tubing with an expanded metal screen, bordered with 1/4" steel for strength.



GATOR 30 GALLON MOP BUCKET CART

The 30 Gallon Mop Cart is made from 14-gauge steel for durability. It has a no spill design for safety and comes standard w/ flat-free tires. This mop cart is very easy to maneuver over small walls and obstacles.

WHEN IT COMES TO INSTALLING HOT ASPHALT, WE HAVE YOU COVERED WITH THE FOLLOWING BRANDS:



ACCESSORIES



HOT PIPE

Made from 1 - 1/2" steel tubing with welded couplings and hoist eye. This comes with one Stockham Equal Union. Requires pipe wrenches to tighten unions. Available in 5', 10', 15', & 20' lengths.



5' INSULATED FLEXMETAL HOSE ONLY

Insulated Flexmetal Hot Asphalt Hose features unions on one end (only MCOE). Comes with a 1-1/2" Male Pipe nipple so that you can install your own union. Hose is covered with insulated silicone covering.



5' RUBBER FLEX W/ STOCK UNION

Special Heat-Resistant Rubber Flex Hose is 1-1/2" in diameter. Used as the transition from the hot pipe to the bucket or hot lugger (Hotmaster). This features a Stockham Equal Union.



DRAINCOCK

2-1/2"



PIPING UNION

1-1/2"



UNION HAMMER-ON

1-1/2"



12 LB. FIBERGLASS MIXED PIN TYPE MOP

Mixed fiberglass. A mixture of plied yarn and straight filament type yarn. Pin type adapter attaches with cotter pin through head and handle for positive hold. Uses 6' or 8' wood or aluminum handles.



2 1/2 LB COTTON ROOFING HANK MOP

The highest quality coarse yarn available, tested and proven superior in performance, maximum pickup, uniform spread, 100% cotton. Each hank tied 2 times. Packed in 60 lb. cartons. Uses 6' or 8' handles with bell adapter.



100 PK MOP STAPLES


4" or 5" staples available.



STEEL HANDLES WITH ADAPTER



WOOD HANDLES WITH ADAPTER




THERMOMETERS

4" regular, 12" with easy test handle.




DIPPER

Seamless aluminum dipper also available with aluminum tubular handle, sold separately.



HANDLE

Aluminum handles for mop bellheads, dippers and gravel pushers.



GRAVEL PUSHER

Rugged cast aluminum construction also available with aluminum tubular handle, sold separately.

TORCHES



SIEVERT PS2960 TURBOROOFER FIELD TORCH KIT

32" Long Torch Assembly. Burner Output: 225,000 BTU to 375,000 BTU. 25 ft. hose. Adjustable regulator. Spark lighter.



SIEVERT DS2944 TURBOROOFER DETAIL KIT

18" Torch Assembly. Burner Output: 175,000 BTU to 300,000 BTU. 25 ft. hose. Adjustable regulator. Spark lighter.



SIEVERT EBK-1 DETAIL GRANULAR EMBEDDING KIT

The kit includes a fully adjustable and removable embedding tool with handle attachment. Large steel roller for excellent coverage and even penetration of granules. Creates a smooth under lap surface.



SIEVERT SIK 1-04 PREMIUM SOLDERING IRON KIT

With universal handle. Runs off propane and use the Sievert Promatic universal handle with automatic on/off ignition. Complete soldering iron kit with a 4 ft. hose with regulator assembly.



+ NON-POWERED ON-DECK EQUIPMENT

PROFASTINC.COM | 1.800.243.3418

PR**FAST**

MATERIAL MOVEMENT



GARLOCK PALLET PACKER

The Pallet Packer works well moving felts, insulation, rubber, and supplies as it does moving pallets. Packer Pal can be added separately for added stability.



GARLOCK PACKER PAL ACCESSORY FOR PALLET PACKER

Allows you to carry even heavier loads on the Pallet Packer. The additional 2 wheels allow you to tilt heavy loads even further back. Includes 2 flat freewheels.



GARLOCK INSULATION FORKS

Move entire bunks of insulation without having to break down the loads. Can also be used to move felts, rolled goods, and palletized materials. Angled frame design allows considerable leverage for the operator.



ROLL-O

The Roll-o from Gator Roofing Equipment is an innovative, lightweight roll carrier designed to help two people move heavy roofing material rolls—up to 850 lbs—with far less strain and effort.



ASE FORK ON WHEELS

Great for moving around palletized materials easily on roofs. 18 x 8.50 wheels distribute the weight over a wide area to prevent roof damage.



GARLOCK SMART CART PRO WITH TUFF TRAY

Eliminate rust or corrosion issues with the one-piece molded design of the Tuff-Tray. 1/4" thick composite design is built to last and ribbed for strength. The pivot frame separates from the tray for tray replacement or to move the tray to another piece of equipment.




GARLOCK WHEELBARROW

No more straining or struggling with keeping heavy loads balanced. The balance point and ease of movement make these wheelbarrows a must-have on any project.



GARLOCK POWER JACK HYDRAULIC

Weighing in at only 600-lbs., the Power Jack is rated at an incredible 2500-lb. lifting capacity.



GRIZZLY UNIVERSAL ROLL CARRIER

For hand carrying small 10' membrane rolls.



GRIZZLY ROLL CARRIER

Perfect for transporting, moving and unrolling any rolled material up to 13' wide.



TUFF JACK MATERIAL MOVER

The ASE Tuff Jack Material Mover allows the operator to quickly move entire pallets of materials around a jobsite.

MATERIAL MOVEMENT



GARLOCK LITTLE GIANT TRAILER

A Versatile Material Handling Solution: Whether you use it as a flatbed trailer for hauling insulation or other flat materials or install pivoting Twin Tuff Trays, move it manually or pull it with a motorized vehicle; the Little Giant Trailer is always up to the task with its large bed and one-ton weight carrying capacity.



ASE 4 WHEEL TRAILER

All round utility carrier. This 2000 lbs capacity trailer can move rolls of felt, bundles of insulation, debris buckets or hot tanks. It's large 18 x 8.50 tires offer load disbursement and stability. Equipped with a standard drop handle brake.



ACCESSORIES FOR LITTLE GIANT TRAILER

Dump tray for our Little Giant Trailers (sold separately). Heavy gauge steel holds 30 cubic feet of debris. Attaches easily to utility trailers with the included hardware.



ASE TRAILER DUMP TRAY ATTACHMENT

This Dump Tray allows you to move more debris and materials in less time and is bolted directly to the standard 4 Wheel Trailer bed, no special tools required.



ACCESSORIES FOR LITTLE GIANT TRAILER

The Roll-o from Gator Roofing Equipment is an innovative, lightweight roll carrier designed to help two people move heavy roofing material rolls—up to 850 lbs—with far less strain and effort.



GARLOCK TWIN TOUGH TRAY

Dual Tuff tray and frame are capable of holding 700 pounds of material per tray. The large lifting handle is perfectly balanced to tilt and dump material in a trash chute even when fully loaded. Made of high-density plastic, it will not rust, dent, chip, or corrode in hot or cold environments.

TEAR OFF



GARLOCK 3.5" WIDE TINE PRY BAR

A heavy tubular handle makes this a handy tool for ripping up old roofing, prying up old decking, or getting under fasteners.



GARLOCK SUPER TEAROFF BAR

The best way to remove old built-up roof materials by hand. Simply ram the blade under the old roofing and push it down. All-steel, heavy-duty frame, 6" steel wheels, and hardened steel blade.



GARLOCK AIR CONDITIONER JACKS

Designed to slide under air conditioner units and lift them to a height you can work under. Large lifting capacity and wide range make them extremely versatile.

JOBSITE STORAGE



ARMORGARD SITEBOSS CHEST

Featuring UltraLock Security - A locking system that dominates the market. Its multi-spur mechanism interlocks smoothly yet fiercely.


ARMORGARD SITEBOSS PIANO CHEST

It's more than just a box, with strengthened hooks for organizing your tools, a cable pass-through point for secure charging, a fitted shelf and a removable multi-purpose tool shelf.



ARMORGARD CASTER WHEEL KIT

Please Note: Caster wheels do not come standard with Armorgard chests - they must be ordered separately



+ POWERED ON-DECK EQUIPMENT

PROFASTING.COM | 1.800.243.3418

PR⁺FAST

MATERIAL HANDLING (RIDE ON)

NEW ITEM

GARLOCK ROO

Take your material handling to the next level with the Roo. This power buggy not only effortlessly transports heavy loads with the included Tuff tray but can also tow up to 2,000lbs with an integrated hitch to pull Little Giant Trailers, Power Jack, or Cobra Cart. Embrace the next era of equipment operation with the Roo, where excellence in performance meets perfection.

- Equipped with a robust 13HP Honda engine for reliable and efficient operation.
- Move heavy loads with a Tuff Tray (included) or pull the Little Giant Trailer
- Push button ignition, horn, tachometer, and integrated parking brake standard
- Integrated lifting points simplify hoisting
- Tight turning radius



GARLOCK R-800 WORKHORSE WITH FLAT FREE TIRES

The R800 workhorse has a smooth operating hydrostatic drive. Reduce operator fatigue with the ergonomically designed steering bar which keeps the operator centered. Get around obstacles and reduce backing up with its tight turning radius.

- Tool-Free installation of all optional attachments including hi-lift forklifts, standard forklifts, #30 cubic foot steel dump box, 36" gravel spreader, or Tuff Tray with pivoting frame.
- Hydraulic lift controls
- Easy to operate latch for dumping materials
- Pin style or 2" receiver port for towing various items



STANDARD FORKLIFT ATTACHMENT (R800 ONLY)

With a maximum lifting height of 14" and load capacity of 850 lbs., this forklift attachment can carry out most of your roofing material handling applications.



HI-LIFT FORKLIFT ATTACHMENT (R800 ONLY)

The forks offer an amazing 44" of reach to fully support large pallets of ISO, adhesives and other roofing materials. The 32" tine spacing accommodates almost any pallet size. Max lifting height of 30".

MATERIAL HANDLING (RIDE ON)



GRIZZLY G-41 MINI-LOADER

The G41 is the lightest skid steer in its class, while being very powerful. Its Vanguard 23HP engine offers tons of torque and a 3 year commercial warranty. It is also equipped with a universal attachment adaptor that allows the use of accessories.



GRIZZLY G-41 MINI LOADER ATTACHMENTS



BUCKET ATTACHMENT



FORKLIFT ATTACHMENT



BUCKET GRAPPLER ATTACHMENT



ROOF REMOVER ATTACHMENT



HYDRAULIC SWEEPER



BACKHOE ATTACHMENT

MATERIAL HANDLING (WALK BEHIND)



**GRIZZLY WORKHORSE POWER
BUGGY**



**GRIZZLY DUMP TRAY
FOR WORKHORSE**



**WORKHORSE - LARGE DUMP
TRAY**



**GRIZZLY GRAVEL SPREADER
FOR WORKHORSE**

MATERIAL HANDLING (RIDE ON)




SS16 CHEETAH SKID STEER LOADER

Reliable, strong, and versatile, with a myriad of attachments, the Cheetah has a place on any roofing, restoration or landscaping job site. The Cheetah is able to rotate on the spot, allowing for tricky maneuvering in tight spaces and on narrow roofs.



SS16 CHEETAH ATTACHMENTS & ACCESSORIES



COUNTER WEIGHT
ATTACHMENT



DUAL WHEEL KIT



FORKLIFT ATTACHMENT



GRAPPLE BUCKET ATTACHMENT



PLOW ATTACHMENT



ROOF REMOVER ATTACHMENT



STANDARD BUCKET
ATTACHMENT



SWEEPER ATTACHMENT

MATERIAL HANDLING (WALK BEHIND)



MOTORIZED TUFF JACK
MATERIAL MOVER



ASE HYDRAULIC POWER BUGGY



ASE MECHANICAL
POWER BUGGY



ASE LARGE MANUAL
DUMP BUCKET

SWEEPING



GARLOCK 36" WIDE POWER BROOM

The rugged frame, wide handle stance, and engine position are designed to provide the optimum balance between head pressure, maneuverability, and comfort for the operator.



ASE MS-36 MECHANICAL SWEEPER

Featuring an adjustable brush angle up to 15° each direction, this is a light, powerful and economical tool built to get the job done well.



GRIZZLY SWEEPER

The 36" sweeper can be easily maneuvered and controlled. Three sweeping positions allow the steel and nylon brush produce a clean surface.

SEAMING



GRIZZLY SEAM ROLLER

An excellent way to seal your seams without air pockets or fish mouths. A rotating disc with rollers applies uniform pressure to the width of the seam pushing out air bubbles and pressing down fish mouths.



HENNES-JOHNSON HJC-370E

The Hennes-Johnson HJC370E seam finishing tool is designed for effortless and consistent production. With its heavy duty .33 HP 120V electric motor and ability to change the rotation of the pressure plate, you can get the job done quickly and confidently.



ROOF SAWS



GARLOCK ENFORCER TWIN SAW

Equipped with a large capacity fuel tank for long running time between refills, an hour meter to keep track of required maintenance, and headlight for early morning or evening sawing operations.



GARLOCK ULTRA CUTTER 13 HP

The wide stance of the tubular handlebars makes them easy to use and control even when working near the roof edge. Featuring a quick-change belt replacement design, tool free blade access shroud, and balanced single point lifting eye.



GARLOCK ULTRA CUTTER MINI SAW

Increase cutting efficiency and cut a full 5 inches closer with the forward blade design. Maximize tear-off productivity and reduce manual labor with its 2 inch wall clearance. Achieve better reach and spend less time lifting or moving equipment with low 17" clearance height and Max-Adjust handle.



GATOR DOUBLE ROOF CUTTER

The Gator Double Roof Cutter has a hydrostatic drive system and is powered by a 25 HP Kohler engine. It is standard with double carbide blades and a heavy-duty all steel frame. With this unit, one man can cut 100 squares a day! Weight 595lbs.



ASE TAZMANIAN ROOF CUTTER

The Tazmanian comes equipped with a 13hp Honda engine and has belts that are easily changed in minutes and is equipped with a sealed breather system that will increase engine lifespan.



ASE HYDRA DOUBLE CUTTER

A powerful self-propelled Hydraulic Double Cutter that delivers high production. With Variable Speed Control and a 25" cut, the Hydra Cutter provide maximum efficiency on the largest jobs.

TEAR OFF



GATOR ERASER

The Gator Eraser Tear-Off Machine removes old flat roofs faster and cleaner than other methods. This Tear-off roof peeler is equipped with an 18" blade for better cutting with a slicing action. The Gator Eraser slices as it cuts through even the toughest flat roofs quicker, leaving you with less to clean up.



GARLOCK ROOF WARRIOR

Productivity: The Warrior slices and scrapes through roofing materials right down the deck in a single pass. The nose weight and geometry of the frame put maximum power right where it is needed the most, at the 18" cutting blade.

**PROFAST ALSO OFFERS PARTS AND SERVICE
FOR MOST OF THE BRANDS WE CARRY**



ADHESIVE/COATING



Wheel kit available



HENNES-JOHNSON HYDRAULIC SPRAYER

Spray grade modified bitumens and cut-back asphalts respond favorably to temperature increase. The viscosity of the fluid becomes more efficient and allows it to be delivered through longer lengths of hose.

DIFFERENT PUMPS AVAILABLE:

- Coatings
- Mastic

1000-LP ALL WEATHER MASTIC WARMER

Dual LED temperature gauges for instant monitoring at a glance. 12V pilotless ignition. 600 degree heat transfer oil (included). High density ceramic insulation. 15' x 3/4" id hose (pump to heater). Kerosene burner avail. on request (HJ1000-D).

TIP SPRAY GUIDE

		ORIFICE SIZE													
IN	MM	.051	.053	.055	.057	.059	.061	.063	.065	.067	.069	.071	.075	.081	
FAN WIDTH	2-4 (51-102)														
	4-6 (102-152)														
	6-8 (152-203)	351		355											
	8-10 (203-254)	451		455		459	461	463	465	467		471	475	481	
	10-12 (254-305)	551	553	555	557		561		565	567		571	575		
	12-14 (305-356)	651		655	657	659	661	663	665	667	669	671	675		
	14-16 (356-406)	751	753	755			761			767		771			
	16-18 (406-457)	851		855			861	863		867					
	18-20 (457-508)														
	FLOW RATE (GPM)		2.79	3.05	3.25	3.49	3.74	4.0	4.26	4.53	4.82	5.11	5.41	6.04	7.04
FLOW RATE (LPM)		10.57	11.41	12.29	13.20	14.14	15.12	16.13	17.17	18.24	19.34	20.48	22.85	26.66	



GRACO GH 933 BIG RIG GAS HYDRAULIC SPRAYER

Whether you need high pressure for long hose runs or hard-to-atomize materials, or high flow rates for heavier coverage, the GH 933 can get the job done.



GRACO SPRAY TIPS

ADHESIVE APPLICATION



GARLOCK CYCLONE 515 DM WITH DUAL-MODE TECHNOLOGY

Allows the application of low viscosity adhesives in either bead mode or spatters mode. Accepts both 5-gallon bag in a box product or 15-gallon barrels for large projects.



GARLOCK CYCLONE 515

The Cyclone 515 is a productive and easy-to-use extruder of 1:1 low viscosity polyurethane adhesives.



GARLOCK CYCLONE EXTRUDER

The Cyclone Extruder is a productive and easy-to-use extruder of 1:1 low viscosity polyurethane adhesives. Uses 5-gallon bag in a box and medium-sized projects.



OMG PACECART3

Now 2x faster and more reliable, the patented PaceCart3™ is designed exclusively for dispensing OlyBond500 insulation adhesives.



STANDARD V-MANIFOLD ADHESIVE APPLICATOR

Apply two-part adhesives efficiently and with less mess. Experience less downtime with straight flow paths that keep material flowing freely. Eliminate end-of-day greasing hassles.



ULTIMATE V-MANIFOLD ADHESIVE APPLICATOR

Constructed with simple straight flow paths to allow a free flowing stream of liquid components for 2 part adhesive application.



PC PRESERVER

Used to clean out 2 part adhesives. PCPreserver can be used on both Part 1 and Part 2 sides of the PaceCart.



QUICK CONNECTS & HOSES

36" Whip Hose, PaceCart 30' Hose, PaceCart Clear Gravity Hose, Black Connector Part 1, Grey Connector Part 2, PaceCart 1 & 2 Pump Seal Kit, PaceCart 3 Pump Seal Kit.



REPLACEMENT ROLLERS AVAILABLE FOR BETTER SPREADERS & TANK SPREADERS

14", 27", and 40" Widths, as Well as Standard, Low, Mid, and High Coverages.



REPLACEMENT TANKS FOR TANK SPREADERS

Quickly and easily swap out tanks using two wing nuts. Feel confident you have the most efficient tools for the job. Reduce waste with pre-drilled holes. Perfect for 2-part adhesive splatter, bead, and air-purge spray applications.



ROOFTOP EQUIPMENT TANK SPREADER

Efficiently apply any pourable materials, such as low-VOC adhesives and coatings. Achieve even, consistent coverage with simple, gravity-driven application. Accurately covers either flat or ribbed roofs without messy overspray. 14", 27" and 40" sizes available.



ROOFTOP EQUIPMENT 100 LB & 150 LB. MEMBRANE ROLLER

Prevents twisting of materials and improves maneuverability with segmented roller design. Applies consistent pressure for even bonding and to protect roof integrity.



ROOFTOP EQUIPMENT TITAN ROLLER FRAMES

Hand Frames Available in 4", 8", 16", and 24" Widths. Finish Frame Available in 24" Width. Many Different Rollers Available in Standard, Low, Mid, and High Coverages.



H.B. FULLER BATTERY-POWERED APPLICATOR

The unique carriage design is extremely durable and allows the user to install adhesive in an upright position eliminating back strain. The motor is designed to run on lower amps which extends overall battery life and reduces charging time.

SURFACE PREPARATION



ECHO PB-2520 HAND BLOWER

Feather-light and professionally productive. The PB-2520 handheld blower is built to power through long days without making them feel like long days.



ECHO PB-770T BACKPACK BLOWER

The popular, professional-grade PB-770T backpack blower with tube-mounted throttle pushes an astonishing 756 CFM at 234 MPH to send leaves and debris out of sight and out of mind.



ECHO PW-3600 POWER WASHER

Choose ECHO power over elbow grease. The PW-3600 pressure washer makes light work of difficult jobs. With the control of a pro-style wand and quiet power up to 3,600 PSI, it ensures effortless, satisfying cleanups on tough surfaces.



RED DRAGON 6009 HEATED BLOWER

The Red Dragon 6009 Roof Dryers defrost, dry, and get you back on the job with minimum effort. Use them to dry surfaces after ponding water has been removed or to remove morning dew, frost, or light debris.



F1302H WHEELED LEAF BLOWER

The F13 Series Force Blowers are ideal for contractor / municipal use and available in a push and a self propelled version. Easily clears water and debris from roof surface with air velocity over 190 mph.

NEED A DEMO ON ANY EQUIPMENT?

Call 1.800.243.3418 or Email: Sales@profastinc.com

MATERIAL WARMING



POWERBLANKET 15 GALLON DRUM WARMER

Powerblanket's 15-gallon drum heaters provide a range of heating solutions for warming and storing temperature-sensitive materials. Eliminates hot and cold spots by applying uniform full-coverage heat across the entire surface of the container.



POWERBLANKET PREMIUM ROOFER HOT BOX

Powerblanket HB64 model 48"x48"x48" bulk material warmers offer cutting-edge technology for freeze protection, chemical storage, and viscosity control in a flexible, easy-to-install design that will effectively, evenly, and reliably heat your materials.



POWERBLANKET 5 GALLON BUCKET WARMER

5-gallon bucket heaters provide a range of heating solutions for warming and storing temperature-sensitive materials.



POWERBLANKET FOAM CYLINDER WARMER

Powerblanket 600 board foot cylinder spray foam heaters have changed the conventional method of transferring heat to temperature sensitive materials.



POWERBLANKET 5 GALLON BUCKET HEATER

Powerblanket's 5 gallon bucket heater blankets all come with temperature control options for optimal results.

80°F



POWERBLANKET 55 GAL DRUM WARMER

Powerblanket's 55-gallon drum heaters provide a range of heating solutions for warming and storing temperature-sensitive materials.

POWERBLANKET PRODUCT LINES

TO FIT YOUR NEEDS

The Powerblanket product line has provided an economical solution to the many heating problems you and your business face. Our versatile blend of patented technologies provide portable and easy-to-use freeze protection, insulation, and heating. Now, in an effort to better serve the needs of an ever-growing customer base, Powerblanket offers two options in heating and freeze protection.



The **POWERBLANKET** product line is designed for any definitive heating job. Each product is built with a rugged vinyl shell that is safe to use in temperatures as low as -20°F (-29°C). You can be sure that Powerblanket products will keep your equipment warm when temperatures drop well below freezing.

The **POWERBLANKET LITE** line is designed for smaller scale heating jobs. These models feature a lower power density, but rest assured, these heaters are the real deal. They are more energy efficient and safer than other heating elements on the market.




+ TRASH CHUTES

PROFASTINC.COM | 1.800.243.3418

PR⁺FAST

TRASH CHUTE SYSTEMS & ACCESSORIES



GARLOCK STANDARD SQUARE TRASH CHUTE SUPPORT SYSTEM

Large volume hopper and chute sections reduce potential chute jams and allow debris to be removed off the roof faster with fewer clogs. (Includes weight cans, supports, screens, hopper, header)



GARLOCK SQUARE CAST MOLDED CHUTE SECTIONS

These trash chute sections make clogs a thing of the past. Manufactured from high-density polyethylene, these chutes are extremely durable in even the most extreme weather conditions. Designed to nest together when stored or while being lifted to the roof edge. Dimensions (LxWxH): 45"x33"x 48".



PARAPET ADAPTER FOR SQUARE CHUTE TRASH SYSTEM

Connect your Square Chute mid support assemblies directly to the column assemblies. Eliminates the unsafe practice of elevating the mid supports and weight cans using pallets or roofing materials. Makes a tear-off over a parapet wall convenient and safe.



GARLOCK PICK BOX FOR GARLOCK SQUARE CHUTE SYSTEM

The pick box was manufactured to keep all the necessary components of the square chute system in one place. Store the header, mid-supports, weights, and header assembly securely and it will be ready for the next time you need it.

ASE TRASH CHUTE SYSTEM

Easily transfer waste from ASE's Power Buggy into the Trash Hopper. The frame is wide enough to allow the ASE Power Buggy with Dump Bucket Attachment to be driven close enough to help transfer its contents into the Trash Hopper.

ROUND TRASH CHUTES & ACCESSORIES

CHUTES
PATENTED CHUTES INTERNATIONAL™



CHUTES INT'L DURACHUTE SECTION W/CHAIN

Sections are blow-molded of high density polyethylene (HDPE) with extra thickness blown into areas of high impact to extend the life of each plastic chute section.




CHUTES INT'L INTAKE HOPPER W/CHAIN

Plastic debris chute intake (or top) hoppers allow access at the top of the chute system. They easily install with the rest of the plastic chute system for easy access to the chute.



CHUTES INT'L INTERMEDIATE HOPPER W/CHAIN

The large 29"x 28" allows sizable debris passage into the trash chute. The Hopper Retainer Bar and Safety Flap allow the stacking and installation of sections on top of this hopper.




CHUTES INT'L SUPPORT FRAME W/HOPPER STANDS

Required with all DURACHUTE™ Plastic Debris Chute Outriggers, the Basic Support Frame comes complete with a set of hopper stands, 2 hair pin clips, 2 flat washers, picking chains, litch pins, and breakaway cable with caution tag for guide rope attachment.



CHUTES INT'L WINDOW/PARAPET OUTRIGGER

The Window/Parapet Outrigger is used, in conjunction with the Basic Support Frame, to hang chute systems either through window openings or from parapet roofs.



FLAT CHUTES

Flat sections were created in response to roofer demands. This flat section is an inexpensive alternative to molded chute sections.

GARLOCK EQUIPMENT SQUARE CHUTE SYSTEM FIELD SETUP





+ SAFETY EQUIPMENT

PROFASTINC.COM | 1.800.243.3418


PR⁺FAST



3 Arrest/2 Restraint

COBRA CART™

If multiple workers on a jobsite require Personal Fall Arrest systems, the Cobra Cart™ Multi-Man is the solution. Cobra Cart™ offers workers OSHA compliant anchor points when doing leading-edge work.



1 Arrest/1 Restraint

LIFEPOINT™ DELUXE NON-PENETRATING

The LifePoint Deluxe is a mobile safety harness tie-off device that provides fall protection for two people: Fall Arrest for one and Fall Restraint for one, or Fall Restraint for two.



2 Arrest/2 Restraint

BADGER


The Badger cart is an OSHA compliant mobile anchor point that can protect four workers at a time: two in fall arrest and two in restraint. It's the perfect solution for worker safety during commercial roofing projects.



3 Arrest/2 Restraint

TRIEX CART

The Trirex is easy to maneuver and can be moved quickly and easily from one work area to another.



2 Arrest/1 Restraint

SABER CART

(8) Removable 50 lb Ballast Weights, Integrated front axle, Flat-free Solid Polyurethane Tires, Patented Ratchet Locking Engagement Arm, Integrated fork pockets and lifting points.



2 Arrest

SAFETY BULL

Meet the Safety Bull - Smaller than the original TriRex™ and lighter than the Stinger™ the Safety Bull is our most versatile mobile fall protection unit.



3 Arrest/2 Restraint

PENETRATOR X3

The Penetrator X3 mobile fall protection system offers unparalleled portability while being the lightest system on the market at 425 lbs. The X3 lifts into place allowing the users to quickly snap in and get to work. When the work moves, the X3 by Tie Down and quickly be relocated.



5 Arrest/2 Restraint

PX5 SENTINEL

Fully portable mobile fall protection device with ample storage that offers 3 Fall Arrest and 2 Fall Restraint tie-downs. When you need a mobile fall protection device that can function on almost any surface, the new Penetrator Sentinel is the ultimate choice.



5 Arrest/2 Restraint


PENETRATOR X5

The revolutionary Penetrator X5 ships are ready to use and safely protect up to seven workers at a time. Weighing less than 600 lbs., the X5 provides fall arrest safety for five workers and an additional two workers in restraint, all at the same time. When it's time to relocate, our premium non-flat tires allow for quick relocation so our customers can resume their work without sacrificing productivity.

PERMANENT WEIGHTED ANCHORS

ANGEL ANCHOR SYSTEM

A versatile single tie-off point when penetrating the substrate is not an option. A modular design makes it easy to transport and assemble and allows for the anchor to be used on surfaces up to a 5° slope.



16 PLATE HIPPO ANCHOR

The Hippo Anchor by Tie Down Safety is a deadweight anchor system that sits on the top of a roof without penetration. The heavy anchor weight design makes this an ideal fall arrest or restraint system.

GARLOCK SAFETY SYSTEMS

FIT-RITE™ SAFETY RAIL

Custom perimeter safety rail just got easier with RailGuard™ Fit-Rite™ railing systems. The latest in passive fall protection from Garlock offers complete customization to fit any rooftop, mezzanine or loading dock. Fit-Rite Can be used in flat roofing, Metal Roofs and interior plant.

Design and CAD Drawings Available

- Available in Galvanized or painted
- Straight or Curved Stanchions
- Multiple connection fittings
- Self-closing gates
- 10' or 21' lengths
- Non-Penetrating Safety Guardrail System
- Meets OSHA Requirements
- 1910.29(b) and 1926.502(b)



GARLOCK SAFETY SYSTEMS

RAILGUARD 200™ SAFETY GUARDRAIL

RailGuard 200 Exceeds OSHA requirements for temporary and permanent guardrail applications. With its Non-penetrating design, it allows for the protection of the worker with out compromising the waterproof integrity of the roof system.

Available in both Standard sizes and custom size
Options Include: Base transporter, Galvanized or Painted base and Rails, Toeboards, Gates
To Find available colors go to www.ralcolor.com

Design and CAD Drawings Available

- Non-Penetrating Safety Guardrail System
- Meets OSHA Requirements
- 1910.29(b) and 1926.502(b)



GARLOCK SAFETY SYSTEMS

SET AND PREVENT™ RAILGUARD 200™ BASE


- Non-penetrating design maintains the watertight integrity of the roof.
- Accepts an inexpensive form-fitting rubber pad for delicate roofs.
- Heavy-duty steel insert with galvanized plating for long term durability and value.
- Dual 3/8" lifting handles for ease of use.
- Compatible with our current base transporter for
- Dual post design for straight runs, square corners, and diagonal corners. easy moving and positioning.
- Internally reinforced with rebar for long term durability.



GARLOCK SAFETY SYSTEMS

STANDARD GUARDRAIL BASE

- Standard padded base for use with Garlock RailGuard 200 system
- OSHA 1926.502(f)(2) compliant
- Available in powder-coated yellow and galvanized



WE ARE NOW AUTHORIZED DEALERS FOR




Counterbalance • The Physics of Cantilever Design.

Modular and durable, our component-based solution uses counter-weight engineering. The simple cantilever principle provides unrivalled strength and safety. The heavy-duty KeeGuard bases are manufactured using molded, 100% recycled PVC. Each 30 pound base is positioned at specific intervals to create a stable, protective barrier on the rooftop.



SAFETY RAIL CO.
THE SAFEST



100% MADE IN THE USA



100% MADE IN THE USA

SAFETY GATES



ADJUSTABLE SELF CLOSING GATES


OSHA Compliant gates that protect workers from falls, or limit access to hazardous areas.

Fits Openings: 17"-48" Wide
Universal Mount System, mounts to 1" or 2" round or square posts, wall mounts
Options: Galvanized or Safety Yellow



FREESTANDING SWING GATES

Swing gates from 4' to 12' wide used in conjunction with RailGuard 200™ systems. Meets all OSHA standards. Available in powder coat or galvanized finished.



SENTRYGUARD™ GATES

Fall prevention gate to protect open loading docks, stairwells, shipping pits, limiting access, and more. Easy operation and OSHA compliant.

HATCH/LADDER PROTECTION



HATCHPROTECTOR™

The HatchProtector™ mounts directly to the roof hatch with a compression fit design, offering a quick and reliable roof hatch guard system.



LADDERGUARD™

Fastest, easiest, and most affordable way to create a safety egress and ingress zone to guard rooftop ladder access starting 6 ft. from leading edge.



ROOF HATCH SAFETY RAILING

Babcock-Davis' OSHA compliant Safety Railing is ideal for new and retrofit applications. The safety railing mounts to the existing roof hatch curb counterflash without penetrating the membrane.



LADDER SAFETY POST

The Safety Post is designed in compliance to OSHA to extend 42 inches above a landing platform to provide safe ladder access through a roof hatch or floor door. The spring assisted telescoping design mounts to the top two rungs of a fixed vertical ladder.



SAFE-T™ LADDER EXTENSION SYSTEM


Designed to attach over the top of the ladder and provide a safe and easy transition from the ladder to a second surface.



SAFE-T™ SELF CLOSING LADDER GATE

The Safe-T Ladder Gate, designed for use in combination with the Safe-T Ladder Extension, is perfect for providing additional protection when climbing off or onto a ladder.

EDGE PROTECTION



PERIMETER CLAMP SYSTEM

OSHA compliant leading edge fall protection system that can be used on both flat edge surfaces and parapet walls. (2x4s not included).




SLABGRABBER™ PERIMETER CLAMP

The SlabGrabber Guardrail Clamp is the latest from Garlock Safety Systems for Perimeter Fall Protection. Can grab a concrete slab with a thickness range of 2" to 24"



TURBORAIL™

The premier leading edge rail protection system with heavy-duty steel clamps, stanchions and snap on horizontal rails, offers a warning line system that provides perimeter fall protection for all industrial workspaces.



ALL-IN-ONE GUARDRAIL SYSTEM

The All-In-One guardrail is a versatile, easy-to-use, and adjustable temporary guardrail system that is suitable for a variety of surfaces. It can be installed on flat/low edges, over gravel stops, on parapet walls, and on concrete slab overhangs.



RAPTOR RAIL GUARDRAIL SYSTEM

Raptor Rail Guardrail System, for temporary safety on construction sites, rooftops, and more. This guardrail system combines easy setup with adjustable rail heights, swiveling base posts, and quick-release rails for unmatched convenience.



ZIPRAIL™ KIT

This comprehensive package contains everything you need to establish a robust secure fall protection system, eliminating the hassle of sourcing individual components. The ZipRail Complete Kit is designed for easy setup on various structures, whether a parapet walls or flat edges.

KATTSafe SAFETY RAIL AVAILABLE

GR34 NON-PENETRATING GUARDRAIL SYSTEM

The GR34 Non-Penetrating Guardrail system Provides the highest level of passive safety for membrane and built up systems. The GR34 guardrail features a plastic coated, steel weighted base that sits up top of the roofing membrane resulting in a completely freestanding system that is OSHA compliant. GR34 bases and posts are positioned a maximum of 10 feet on center

KEY FEATURES

- Manufactured of high tensile aluminum
- Modular system facilitates infinite configurations.
- Can be easily customized on site to suit application.
- OSHA Compliant.



CROSSOVER STAIRS



CROSSOVER STAIRS

36" wide stairs can range from a single step up to seven steps before a connection is required to a work platform.



MODULAR CROSSOVER STAIRS

Our modular crossover stairs system allows workers to safely navigate over obstacles that would otherwise put workers at risk for injury. Modular stair components can easily be configured into a wide variety of heights, lengths, access points and levels, and can be installed freestanding or mechanically attached to the roofing or flooring substrate. A perfect solution for changing needs and dynamic environments




KC103 CROSSOVER STAIR SYSTEM

The KC103 aluminum crossover system is used for safe access over pipes, expansion joints, and equipment or up to elevated areas. Kattsafe KC103 crossover systems available as standard with a 3ft x 3ft platform and configurations to clear varying heights from 25in up to 73in.



KEE WALK® ROOFTOP CROSSOVERS

Roof surfaces can be extremely dangerous places to work, but not if Kee Walk® is installed. It provides a safe, anti-slip, level walking surface to access areas of the roof and to safely walk across it. Step sections are adjustable and can be used on sloped roofs too. Added to this, it also protects the roof sheet from foot traffic.



FIXED LADDERS

Kattsafe



RL20 ANGELED FIXED LADDER

Angeled fixed ladders are specifically suited for small elevation changes. We have several options to fit different spaces. Angeled fixed ladders are ergonomically sound, and they provide easy access to elevated surfaces such as roofs and platforms.



RL30 SERIES VERTICAL FIXED LADDERS

The RL30 series fixed ladders feature modular construction for flexibility. Each includes 1 1/4-inch serrated rungs welded to the stiles and ladder bodies connected with splice joints.



RL40 CAGED FIXED LADDERS

Kattsafe caged fixed ladders are available in a variety of kits to suit different applications. Various options are available for these modular, aluminium access ladder systems to ensure every need or safety standard can be met.




FIXED STEEL LADDER - SAFETY YELLOW

Side Rails 2-1/2" x 3/8" flat bar, Solid round 3/4" rungs, 12" spacing between rungs, 18" Ladder width, Safety yellow finish, Complies with applicable OSHA & ANSI standards.



FIXED STEEL LADDER

Solid round 3/4" rungs, 12" Spacing between rungs, 18" Ladder width, 42" Guardrails on Walk-Thru models, Powder coat gray finish, Complies with applicable OSHA & ANSI standards.



SAFETY RAIL CO.
THE SAFEST

400445	ROUND TUBULAR LADDER UP TO 10FT TALL (5' MINIMUM PRICE)
400459	LADDER EXTENSION KIT 1FT-10FT (SOLD PER FOOT)



KEE WALK ROOFTOP WALKWAY

Kee Walk® provides a safe, anti-slip, level walkway for workers who need to access a roof in the course of their work. Its intelligent design protects the roof surface from unnecessary damage and integrates easily with either guardrails or lifeline systems.




Kattsafe

KATTSAFE WALKWAYS

Our walkways are designed to offer a clear, designated path of access to avoid unintentional access to unsafe areas. They are ideal in combination with Kattsafe guardrail systems and are the preferred method of safe access across roofs and areas close to a fall edge.


FLEXIBLE WALKWAY MATTING

A roll flat solution that is minimum fuss to use, keep employees safe, and protects the integrity of the roof.




ALUMINUM WALKWAY SYSTEMS

Lightweight non-corrosive walkway system which provides safe, designated access around the rooftop.



ALUMINUM WALKWAY SYSTEMS W/ GUARDRAIL

Designed for safety and flexibility. Can be leveled to accommodate for roof slope, and seamlessly combined with our guardrail systems.



WARNING LINES



EVERLAST™ 300 WARNING LINES

A permanent warning system with heavy-duty RailGuard™ 200 metal bases, plastic-coated cable, and plastic pennants.



PERMANENT WARNING LINE

The aluminum warning pendants contain the word "DANGER". This warning line system provides a permanent but simple solution for unprotected edges for irregular work in a facility or rooftop.



PERIMETER DEFENDER CONE

OSHA Compliant Cone and Base is the perfect solution for the temporary deployment of warning line system during roofing or construction projects.



OSHA PERIMETER MARKER FLAGS

Yellow or Red Color, 105' Long, OSHA compliant



SAFETY BOOT

The Safety Boot Guardrail System has been tested by an independent third party engineering firm as exceeding all applicable United States Federal OSHA guardrail regulations and requirements in order to assure compliance.



RED DANGER DO NOT ENTER / YELLOW CAUTION TAPE

Tape 3" x 1000Feet, Tear Resistant Design




SAFETY RAIL CO.
THE SAFEST

Visual Warning Line


For temporary visual indicators or as part of permanent warnings paired with mobile guardrails, SRC Visual Warning Lines provide a durable, budget-friendly solution.

PERMANENT



SKYGUARD™ PROTECTION SYSTEM

Modular OSHA compliant fall protection skylight system that works best for large and tall skylights and smoke hatches.



SCREENGUARD™ SKYLIGHT COVERS

ScreenGuard™ skylight covers provide a cost-effective, OSHA compliant fall protection solution that secures to the skylight frame with compression fit - no penetrating fasteners, adhesive or straps. Galvanized screen resists corrosion.

TEMPORARY




PORTABLE SKYLIGHT NET

Portable Skylight Nets are made of high tenacity 4" polypropylene knot-less nets and are used during new construction, renovation, and maintenance roof work as a form of personal fall protection where skylights are present.



COLLAPSIBLE SKYNET

The Collapsible SKYNET is a skylight fall protection system designed to protect workers from falls to the surface below. With a hinged steel frame and oversized netting coated with a Mil-spec UV coating for added protection, it provides an easily transportable and secure, reliable barrier with a expected life span of 5 years.



7 FT. X 7 FT. SKYLIGHT NETTING

With a weight of only 10 lbs., the Portable Skylight Netting System is designed to be easily portable, allowing for quick setup and repositioning as needed across different work sites.



Class 1 identifies SRLs that are used only on overhead anchorages and are subjected to a max free fall of 2 feet or less. Class 2 SRLs can be used in applications where overhead anchorages may not be accessible and a structural edge is used instead; these can withstand a free fall of no more than 6 feet over an edge.

RETRACTABLES



FALLTECH®

CONTRACTOR CLASS 2 SRL

New Class 2 Leading Edge SRL engineered for those who require the optimal balance of compliance, safety, and worker efficiency when working at height.

Sizes: 20', 30', 60'



FALLTECH®
DURATECH®

MINI PERSONAL SRL

May be anchored up to 5' below the dorsal D-ring for user's weighing up to 310 lb max.

Sizes: 6' 9' 30' 50'



FALLTECH®

CONTRACTOR SRL

30' galvanized cable and anchorage carabiner. 3/16" galvanized steel cable lifeline with load-indicating swivel snap hook.

Sizes: 20', 30', 50', 100'



FALLTECH®

CONTRACTOR LEADING EDGE SRL

7/32" galvanized steel cable lifeline with load-indicating swivel snap hook. Internal inertial braking system provides positive stopping action and uniform deceleration.

Sizes: 30', 50'



SAFEWAZE®

NORTHSTAR CLASSIC SRL

Self Retracting Lifelines with specialized impact resistant housing and non-corrosive components. Also features an enhanced swivel top load indicating snap hook and fast-acting braking system.

Sizes: 20', 30', 50', 65'

HARNESSES

NEW ARRIVAL!

FT IRON 3D®



- New ergonomic lateral leg straps and construction greatly improve comfort and mobility.
- Rugged waist belt supports extreme loads of tools or equipment without folding while distributing load evenly for improved comfort
- Reinforced sub-pelvic strap features durable wear pad for extended product service life
- New ArrowGrip dorsal D-ring plate minimizes slippage for comfort and minimal adjustment
- Features integral tri-layer padded shoulder yoke to provide breathable user comfort
- Updated SRL connection point for fast, hassle-free attachment of all types of single and twin SRLs
- Quick-connect chest buckle features visual indicator showing positive connection
- Tongue buckle legs are equipped with 9 grommets adjustment positions for a wider range of fit
- Fully adjustable suspension trauma relief system
- Complies with ANSI Z359.11-2014



FALLTECH®

CONTRACTOR 1D STANDARD NON-BELTED FULL BODY HARNESS

- Dorsal attachment sleeve supports effortless addition of personal SRLs
- Plated alloy steel low-profile spring tension roller torso adjusters.
- Breathable padded air-mesh shoulder yoke delivers added user comfort
- Paired lanyard parking keepers Plated alloy steel dorsal, sternal D-rings with mating buckle chest and tongue buckle leg closures
- Outfitted with 9 grommets leg adjustment positions for a wider range of fit
- Complies with ANSI Z359.11-2014



NEW ARRIVAL!



SAFEWAZE

PRO FULL BODY HARNESS: 1D, MB CHEST, FD, TB LEGS

- Dorsal D-ring
- Friction buckle torso adjusters
- Mating buckle chest
- Front D-ring
- Tongue buckle legs
- Shoulder pad

ROPE & LANYARDS



8259

6' Internal Energy Absorbing Lanyard, Single-leg with Steel Snap Hooks.



8259Y3

6' Internal Energy Absorbing Lanyard, Double-leg with Steel Connectors.



8256

6' ViewPack® Energy Absorbing Lanyard, Single-leg with Steel Snap Hooks.



8256LT

6' Soft Pack FT Basic® Energy Absorbing Lanyard, Single-leg with Steel Snap Hooks.



8256LT3

6' Soft Pack FT Basic® Energy Absorbing Lanyard, Single-leg with Steel Connectors.

HORIZONTAL LINES



100' 4-PERSON TEMP ROPE HLL SYSTEM

High-strength, durable 5/8" double braid polyester rope lifeline with steel thimble and stitched end-termination.



60' TEMPORARY ROPE HLL SYSTEM; 2-PERSON WITH KERNMANTLE

Features 11/16" solid-core nylon kernmantle rope with one sewn and thimble end-termination



DORSAL D-RING EXTENDER WITH STEEL SNAP HOOK



6' LEADING EDGE CABLE ENERGY ABSORBING LANYARD



QUADRANT RETRACTABLE HLL

The Quadrant Retractable HLL offers the ultimate in jobsite flexibility as a temporary 2-person HLL system. The versatile length up to 65' allows use in a wide range of environments with a user-friendly setup in seconds plus no-hassle storage of the durable cable lifeline with protective housing.



FALLTECH®

CONCRETE



7451A

Rotating D-ring Anchor with Concrete Screw



7440

Expansion Wedge Anchor for Concrete, 5,000 lb

STEEL



8256

Bolt-on D-ring Anchor with Installation Plate



8256LT

14 1/2" Trailing Beam Anchor with Dual-clamp Adjustment

ROOFING



7444

Single-use Wood Roof Ridge Anchor



7410

Hinged Reusable Wood Roof Anchor



7410M

Hinged Reusable Anchor for Steel Deck and Metal Roofing



7493A

Reusable Heavy Duty Chain Anchor for Wood




PITCH PRO

The PitchPro is a premier fall protection anchor designed for sloped-roof asphalt shingle construction.



STANDING SEAM ROOF ANCHOR

The Standing Seam Roof Anchor is a compact non-penetrating roof anchor designed for use on sloped or flat standing seam roofs.



ADJUSTABLE PARAPET WALL ANCHOR

No tools required with simple clamp-on non-penetrating installation. Adjusts to fit parapets from 1/2" to 15" thick and having a minimum height of 9"



PASS-THROUGH CHOKER ANCHOR

Features 1-3/4" load-bearing web with 3" wide full-length wear pad for abrasion resistance. Appropriately sized alloy steel D-rings provide simple pass-through choke-on installation. Sizes: 3', 6', 8', 10', 12'

PERMANENT

TIE DOWN MANUFACTURING INGENUITY

COMMERCIAL ROOF ANCHOR-12

Commercial Roof Anchor Series are perhaps the most proven fall protection anchors on the market. Commercial Roof Anchors are compatible for installation onto wood, steel, and concrete substrates (fasteners are included for wood and steel applications).



TIE DOWN MANUFACTURING INGENUITY

COMMERCIAL ROOF ANCHOR-18 (WOOD AND METAL DECK)

Commercial Roof Anchor Series are perhaps the most proven fall protection anchors on the market. Commercial Roof Anchors are compatible for installation onto wood and steel (fasteners are included).



NEW PRODUCT PRIMERO AIR

KASK



WHE00119

201	202	203	204
208	210	215	



MATERIAL

EXTERNAL SHELL:
HD Polypropylene

INTERNAL SHELL:
HD Expanded Polystyrene

HEADBAND:
Soft PA Nylon



SIZE

One size fits most



WEIGHT

0.97 lb



STANDARD

ANSI Z89.1 TYPE I - CLASS C HT LT
EN 12492

Protection against side, front
and rear impacts

Shock energy absorption capacity

(Clauses 4.2.1.2 - front,

4.2.1.3 - lateral, 4.2.1.4 - rear)

Penetration (Clause 4.2.2)

Retention system strength

(Clause 4.2.3)

Retention system effectiveness

(Clause 4.2.4)



TEMPERATURE OF USE

-22°F / +140°F

ZENITH X2 AIR



SUPERPLASMA HD SAFETY HELMET



ZENITH X2 SAFETY HELMET



SAFEWAZE

V-LINE BUCKET ROOF KIT: FS99185-E HARNESS, 018-7005 VLL, FS870 ANCHOR

An economy collection of materials for roofing
- harness, lifeline and anchor - conveniently
packaged in a durable plastic bucket with lid.

- V-Line Full Body Harness FS99185-E
- 50' Vertical Lifeline Assembly 018-7005
- Reusable Roof Anchor FS870
- Plastic Bucket with Lid



SAFETY GLASSES



Grey



Clear

IPROTECT® SAFETY GLASSES

IPROTECT. 9.5 base curve offers great wrap around protection. No hard coating on lens. Polycarbonate lens offers 99% UV protection.



Clear

SPLASH GOGGLES

Splash protection goggle with polycarbonate lens. Uncoated lens. Vinyl frame with four indirect vents. Black strap masks grease and grime.



OCTANE® SAFETY GLASSES

One piece 8.5 base curve. Rubber inserts in temple offer extra hold. Hard coated lens offers 99% UV protection and scratch resistance. Includes lanyard. Colors: Camouflage, Black, and Red

ERB®
Safety Products for LIFE.



ANTI-FOG TOWELETTES

Ideal for safety goggles, eyewear, welding hoods, etc. Reduces dust and finger prints. Does not contain acid, ammonia or abrasives. Wall mount or desk top. 7.25" x 5"

VESTS



BREAK-AWAY SAFETY VEST

ANSI 107 Type R, Class 2 5 Point Break-Away vest. 100% polyester mesh. Hook & loop front closure. 2 interior waist pockets. AwareLite reflective trim. Sizes: MD - 3X.



SURVEYOR'S SAFETY VEST

ANSI 107 Type R, Class 2 Surveyor vest. Solid front, mesh back. Zipper front. 1 split pad/pencil pocket, 1 radio pocket, 2 ext. waist pockets w/hook & loop closure, 2 open int. waist pockets, 1 int. flashlight pocket. Mic tabs. Sizes: MD - 3X.

ERB®
Safety Products for LIFE.



REFLECTIVE SAFETY VEST

Adjustable hook and loop front closure. Elastic side straps. 1" reflective stripes on front and back. Does NOT Meet the requirements of ANSI/ISEA 107. Sizes: One size fits most.

HARD HATS



OMEGA II® CAP - RATCHET STYLE

Molded from high density polyethylene for maximum protection. Secure-Fit ratchet features an easy turn knob. Adjusts to over 40 different head sizes, 6.5 - 8 Made in USA and meets ANSI Z89.1 Type 1, Class C, E & G requirements



OMEGA II® FULL BRIM - RATCHET STYLE

Molded from high density polyethylene. Provides protection from sun and rain. Secure-Fit ratchet features an easy turn knob. Adjusts to head sizes, 6.5 - 8. Made in USA. Meets ANSI Z89.1 Type I, Class C, E & G requirements.

FIRST AID KITS



FIRST AID KIT WITH METAL BOX

Available in 10 & 25 person. ANSI Premium first aid kit. Meets ANSI Z308.1-2009.



FIRST AID KIT WITH PLASTIC BOX

Available in 10 & 25 person. ANSI first aid kit. Meets ANSI Z308.1-2009.

ERB
Safety Products for LIFE.

I.C.E. CART



I.C.E. EMERGENCY SAFETY CART

Includes: 24-piece First Aid Kit, Heat Stress Kit, 5-gallon Water Cooler, nloodborne Pathogen Kit, Single Eye Wash Station, and 6 ABC Dry Chemical Fire Extinguishers, providing all the essential safety components for your jobsite.



FOAM CORDED & CORDLESS EAR PLUGS

Non-allergenic foam ear plugs provide long term comfort. Convenient packaging for on-site distribution Each pair of plugs is individually wrapped.



SHEILDS



PLASTIC VISOR CARRIER

Fits into helmet accessory slots. For use with all ERB shields except model #8170. Carrier has adjustable tension for raising shield when not in use. Fits Omega II, Americana and Liberty.

**Carrier Only. Hat sold separately*



CLEAR PC SHIELD .040

Clear polycarbonate shield. Size 7.75" x 15.5" .040 thick. Visor Carrier/Shield Compatability: Fits E13, E14, E15, E16, E16R, E17, E18, E19, E20, and E21 carriers.



ALUMINUM BRACKET FOR OMEGA II®

Fits ERB Omega II helmet style. Deluxe aluminum construction. Adjustable tension. Shield, helmet and carrier sold separately. Meets ANSI Z87.1-High Impact when paired with 8150 shield.

**Bracket Only. Hat sold separately*



FIRE EXTINGUISHER STAND

- Hole for water drainage to prevent water pooling and withstand all weather conditions.
- Rugged HDPE
- Stackable for easy storage
- Handles for easy set-up and removal
- Made in the USA
- **Fire Extinguisher sold separately**
- Can accommodate up to a 25 lb extinguisher

GLOVES



BROWN JERSEY (NO LINING)

Blend of approx. 70% cotton and 30% polyester. 1.6 oz., cleft cut with knit wrist.



LEATHER PALM WORK GLOVES

Unisex size large leather palm glove.



13 GAUGE NYLON KNIT SANDY FINISH

13 gauge gray nylon with spandex liner.



POSISHIELD™ 5MIL

Disposable Nitrile Glove, Powder Free with Textured Grip



POSISHIELD™ 7MIL

Disposable Nitrile Glove, Powder Free with Textured Grip



PIP®

Regular Weight Polyester/Cotton Jersey Glove with Fleece Lining - Red Knit Wrist



WEST CHESTER®

PVC Dipped Glove with Interlock Liner and Rough Finish - 12"



BOSS®

Seamless Knit Cotton/Polyester Glove with Textured Latex Grip - Medium Weight



BARRACUDA®

Seamless Knit HPPE Blended Glove with Polyurethane Coated Flat Grip on Palm & Fingers

CUT RESISTANT

PIP

GO-TO-WORK KIT



The ProFast New Hire Kit is a great way to get summer help and new hires the P.P.E they need without having to inventory individual SKU's of P.P.E. All of these P.P.E Products are shrink wrapped inside of the hard hat and ready to hand out at a moments notice.

PROFAST KIT INCLUDES:



WHISTLER™

Dynamic hard hat, cap style, HDPE shell material, 4-Point adjustable suspension with ratchet and nylon webbing, ANSI TYPE 1 CLASS E



ZENON Z12™

Rimless Safety Glasses with Black Temple, Gray Lens/ Clear Temple, Clear Lens and Anti-Scratch Coating.



PIP®

Ideal for additional levels of safety for low risks activities where ANSI compliance is not required, such as shopping cart retrievers, dog walkers, parking lot attendants, joggers, delivery vehicle drivers, recreational workers.



MEGA BULLET™

Disposable Soft Polyurethane Foam Corded Ear Plugs - NRR 32 / SNR 38



G-TEK®

Economy Seamless Knit Polyester Glove with Nitrile Coated Foam Grip on Palm & Fingers - 15 Gauge - Touchscreen

Ideal for handling and assembly of parts and materials, equipment maintenance and repair, parts cleaning, and fastening and anchoring.







PRO+FAST

PROFASTINC.COM | 1.800.243.3418

PHILADELPHIA BRANCH

701a Ashland Ave. Bay 103
Folcroft, PA 19032
Phone: 610-521-3404
Fax: 610-521-4717

HARRISBURG BRANCH

7917 Derry St.
Harrisburg, PA 17111
Phone: 717-458-5610
Fax: 717-458-5613

PITTSBURGH BRANCH

770 Vista Park Dr.
Pittsburgh, PA 15205
Phone: 412-259-8449
Fax: 412-291-3188

BALTIMORE BRANCH

717 Hammonds Ferry Rd.
Linthicum Heights, MD 21090
Phone: 410-589-3369